



2025-26

STOCK CATALOG

Deckman
est. 1922 company



***Thank you for your interest in Deckman Company
and our Stock Catalog.***

Deckman Company is a locally owned and operated manufacturer's representative and a stocking distributor of HVAC equipment. For 100-years, we have provided customers with a vast array of products, from our Fan & Roof Equipment and Air Distribution lines to our Duct, Pipe & Fittings, Dampers and Sheet Metal Accessories.

We take pride in the quality of the products we represent and we stand by our commitment to provide outstanding service and assistance.

Deckman Company has and always will look forward to building long-term relationships with all our customers.

Our stock catalog provides quick and easy access to all the materials available in our warehouse. Please contact us should you need more information on any of these products, or if you have inquiries about our Sheet Metal or Mechanical Division.

(412) 257-3333 or sales@deckmanco.com

TABLE OF CONTENTS

ACCESS DOORS

BASIC	16
FIRE RATED	16
SANDWICH	16
HINGE & CAM	16
CAM LATCH	16
PRESS-ON CAM LATCH	16

ADHESIVES & DUCT SEALANTS

EVERSEAL	8
QUICK-STICK	8
ALUMA-GRIP	9
FOIL-GRIP	9
GECKO GLUE LINER ADHESIVE	8
PROSEAL	8
SURE-GRIP 404	9
PROTECTIVE DUCT WRAP	9
STRIPPER SPRAY	
MAINTENANCE	9

B-VENT & FITTINGS

PIPE	17
ELBOWS	17
TEE	17
TEE CAP	17
AMERI-CAP	17
FITTINGS	17

CEILING DIFFUSERS

1450	18
TMS	18
SH	18
OMNI	19
6604	19
6690	19
6790	19
1975	20
PTBSI	20
RM1	21

DAMPERS & ACCESSORIES

FUSIBLE LINKS	27
CONTROL	27
BACKDRAFT	27
ACTUATORS	27
RUSKIN EXPRESS	29

DUCT CONNECTION SYSTEM

D25/35	4
J-FLANGE	4
VARIOUS ACCESSORIES	4
TDC/TDF CORNERMATIC CORNER	5
RMTDC/TDF CORNERS	5
VERSA CLEAT	5
STICKY TAPE	5
SLIPS & DRIVES	5
PROFLEX DUCT CONNECTOR	5
PRORAIL & TURNING VANE	5

FANS & ACCESSORIES

EVOLVE SERIES MULTI CFM	
CEILING FANS	31
L-SERIES CEILING FANS	31
SPEED CONTROLLER	32
BRICK VENTS	32
ROOF CAPS	32
WALL CAPS	32
PRD ROOF FAN	33
ROOF CURBS	34
EQUIPMENT RAILS	34
PIPE PORTAL SYSTEM	34
DECKMATE	34

FLEXIBLE DUCT

INSULATED	14
NON-INSULATED	15
SS CLAMPS	15
DYN-O-TIE FLEX TIE	15
TENSION TOOL	15

GRILLES & REGISTERS AND ACCESSORIES

5DMGDU	21
880H	22
S80H	23
S80H1FF	24
50F	24
ECPC	24
50F	24
ECRD	24
PRN100	25
OB DFA	25
OB	25
STR	25
LAY-IN FRAMES	25
PAINT	25

HANGING SYSTEM, DUCT HARDWARE

CABLE SHARK SYSTEM	6
HANGER STRAP	6
CABLE SHARK FIELD KIT	6
ISOLATION HANGER	6
VARIOUS ACCESSORIES	6
CABLE SHARK ACCESSORIES	7
POLYARMOR	7
DUCT WRAP	9
HVAC INFORMATION	35

LOUVERS & BRICK VENTS

STATIONARY LOUVER	28
BRICK VENT	28
MANUFACTURER OFFERINGS	36

RADIANT TUBE HEATING

BURNER BOX	30
TUBE SET	30
U-TUBE	30
INSTALLATION KIT	30

SNAPLOCK PIPE & FITTINGS

SNAP LOCK PIPE	10
90° ADJUSTABLE ELBOW	10
TEE	10
T-CAP	10
REDUCER	10
DAMPER BLADE	10

SPIRAL PIPE & FITTINGS

SPIRAL PIPE	12
90°/45° ELBOW	12
PLUG	12
COUPLING	12
SADDLE TAP	13
REDUCER	13
PRESS-ON SADDLE	13
4" ALUM SNAPLOCK	
PIPE & ELBOWS	13
5DMGDU	21

TAKE-OFF FITTINGS

START COLLAR	11
PRESS-ON COLLAR	11
HETO	11
CONICAL	11

TERMINAL AIR UNITS

LMHS BOX	26
HOT WATER COILS	26



www.deckmanco.com


Duct Connection System & Accessories

Flange, Corners, Cleats, Gasket




D25/35 DUCT CONNECTION SYSTEM


- System consists of roll-formed flanges, corner pieces, cleats and gasket
- Patented down set in corner insures proper sealing
- Patented corner clips ease installation
- Sealing materials meet NFPA 90A & B Class 1 requirements




D25 CORNER W/NUT & BOLT



D25 CORNER W/CLIP



D35 CORNER



D35 CORNER W/CLIP

MODEL	PART #	GA	DESCRIPTION	QTY/SOLD BY	PRICE
D25 Flange	D2510GA	24	Galvanized steel with integral sealant	20' Piece	\$59.73
D25 Corner w/Nut & Bolt	DBJRGA	16	Galvanized steel with hole for 5/16" carriage bolt	250/Box	\$2.69
D25 Corner w/Clip	DJRGA	16	Galvanized steel with notch for corner clip	250/Box	\$2.00
D35 Flange	D3510GA	20	Galvanized steel with integral sealant	20' Piece	\$69.87
D35 Corner	DC35GA	12	Galvanized steel with hole for 3/8" carriage bolt	200/Box	\$2.72
Nut & Bolt 3/8"	CBGA	16	Nut and Bolt for D35 Corner	125/Bag	\$0.53
D3A w/o Nut & Bolt 3/8"	D3AGA	16	Galvanized steel with hole for 3/8" carriage bolt	250/Box	\$2.59
D35 Corner w/Clip	D3BGA	16	Galvanized steel with notch for corner clip	250/Box	\$2.67
RM DC35 Corner	RMDC35GA	12	Galvanized steel with hole for 3/8"-12 screw	200/Box	\$2.72
RM DC3A Corner	RMDC3AGA	16	Galvanized steel with hole for 3/8"-12 screw	250/Box	\$2.59
RM Screw	SCREW 3/8 - 12/1	16	3/8 - 12/1 Screw for RMDC35 and RMDC3A corner - 5/16" Head	500/Pail	\$0.96
RM Screw	SCREW 3/8 - 12/1	16	3/8 - 12/1 Screw for RMDC35 and RMD3A corner - 5/16" Head	500/Pail	\$0.96
Metal Cleat 6"	D6CGA	20	Galvanized steel, rolled form, 6" piece	500/Box	\$0.80
PVC Cleat 6"	6" PVC	N/A	Use around perimeter of transverse joint, 6" piece	6" Piece	\$0.64
Gasket 440	440 3/16" x 5/8"	N/A	Non-hardening, extruded butyl tape	25' Roll	\$8.40
Neoprene Gasket	NEO 5/16" x 3/4"	N/A	Synthetic, closed cell, rubber based sealing tape	50' Roll	\$21.20
Nylon Nut & Bolt	HEXBN38NY	N/A	Nylon nut and bolt	Each	\$1.17
Repeater Nails	RPF3000	N/A	3/4"-1" length, helical/gripshank, smooth wire-collated coil nails	3,000/Box	\$807.57
J-Flange	WJ50GA	20	Galvanized steel with integral sealant	10' & 20' Piece	\$32.53-\$65.07
J-Corner	WJCGA	12	Galvanized steel with hole for 3/8" carriage bolt	200/Box	\$2.35
Metal Cleat 6"	W6CGA	22	Galvanized steel roll formed 6"	500/Box	\$0.80


Duct Connection System & Accessories

TDC/TDF Corner, Versa-Cleat, Sticky Tape, Slips and Drives, ProFlex, ProRail, Tools



TDC / TDF CORNERMATIC CORNER

- Hole for 3/8" carriage bolt
- Use with automatic corner inserter machine





MODEL	PART #	GA	QTY/SOLD BY	PRICE
TDC	CMCGA	16	250/Box	\$0.93
TDF	CMFGA	16	250/Box	\$0.93
TDC*	CMCGASTPK	16	400/Box	\$0.96
TDF*	CMFGASTPK	16	400/Box	\$0.96
RMTDC	RMTDCGASTPK	16	400/Box	\$1.23
RMTDF	RMTDFGASTPK	16	400/Box	\$1.23

*FOR USE WITH CORNERMATIC MACHINE

TDC / TDF CORNER


- Hole for 3/8" carriage bolt
- Manual insertion only



MODEL	PART #	GA	QTY/SOLD BY	PRICE
TDC	ACGA	16	250/Box	\$0.91
RMTDC	RMTDCGA	16	250/Box	\$1.15
RMTDF	RMTDFGA	16	250/Box	\$1.15

VERSA CLEAT / STICKY TAPE / VM GASKET


- 6" Snap-on cleat
- 3/8" x 5/8" Butyl gasket tape
- 5/16" x 1 1/4" VM Gasket



MODEL	PART #	GA	QTY/SOLD BY	PRICE
VERSA Cleat	DV6CGA	22	250/Box	\$0.80
Sticky Tape	STICKY TAPE	N/A	25' Roll	\$6.00
VM Gasket	5/16" x 1 1/4" x 50'	N/A	50' Roll	\$37.60

SLIPS & DRIVES

- Standard connectors
- Ridged
- Leak-proof




MODEL	PART #	GA	QTY/SOLD BY	PRICE
Drive	DSGA24	24	10' Piece	\$25.84
Hemmed S	HSGA24	24	10' Piece	\$16.77
Standing S	SSGA24	24	10' Piece	\$28.43
Standing Drive	SDSGA24	24	10' Piece	\$11.95

*All are 1.125", 24ga, 10ft. piece

PROFLEX DUCT CONNECTOR

- Airtight and waterproof
- Commercial or residential
- Double-lock gripping fingers of metal to fabric adds to holding power
- Meets NFPA 90A & 90B specifications
- Pre-assembled with sheet metal permanently secured to fabric
- Fabrics are NFPA 701 listed



MODEL	PART#	MATERIAL	GA	QTY/SOLD BY	PRICE
1.25" x 3" x 1.25"	PFR03VGA	Vinyl	24	100' Box	\$275.76
3" x 3" x 3"	PFC3VSGA	Vinyl	24	100' Box	\$423.28
4" x 4" x 4"	PFC4VSGA	Vinyl	24	100' Box	\$547.68
3" x 3" x 3"	PFC3NGA	Neoprene	24	100' Box	\$501.79
4" x 4" x 4"	PFC4NGA	Neoprene	24	100' Box	\$733.07

PRORAIL & TURNING VANE

- Tabs friction-fit into double-wall turning vane to ensure connection up to 57 lbs. of pull-out force per tab
- Precision stamped galvanized steel
- Pressure tested to 15" wg
- Tabs secure vane to avoid misalignment



MODEL	PART #	GA	QTY/SOLD BY	PRICE
2" Vane	2VGA26	26	10' Piece	\$28.43
2" Rail	2PRGA22	22	10' Piece	\$31.07
4" Vane	4VGA24	24	10' Piece	\$54.59
4" Rail	4PRGA22	22	10' Piece	\$51.60

MODEL	PART #	GA	QTY/SOLD BY	PRICE
Cleater 1 (LONG)	CLEATER1	N/A	EACH	\$83.00
Cleater 2 (SHORT)	CLEATER2	N/A	EACH	\$86.67
Versa Tool	VERSA TOOL	N/A	EACH	\$67.49

HARDWARE & ACCESSORIES

Hanging Systems, Duct Hardware & Accessories

Cable Shark, Hanger Strap, Isolation Hanger, Field Kits



CABLE SHARK SYSTEM

Special Characteristics

- Engineered for safety, strength, and durability
- Fast and easy installation
- Available in two sizes to meet specific load ranges
- Versatile hanging options for nearly every application
- Comprehensive Cable Shark Hanging System Construction Standards and Load Charts available here
- Engineered for strength and durability

CS125 / CS250 Certifications*

- SMACNA verified, meets SMACNA's upper and lower attachment construction standards if used per manufacturer's installation guidelines
- ICC-ES AC284 Certified
- Seismic Certified to ANSI/ASHRAE Standard 171-2017

* Certifications apply to the CS125 and CS250 mechanisms only



MECHANISM INFORMATION

PART #	QTY/SOLD BY	PRICE
CS125	6/BAG	\$7.92
CS250	4/BAG	\$10.56

SPOOL INFORMATION



PART #	QTY/SOLD BY	PRICE
CSW125500	500' SPOOL	\$224.77
CSW250500	500' SPOOL	\$275.20

CUT-TO-LENGTH INFORMATION



PART #	LENGTH	CSW125 BAG QTY	CSW250 BAG QTY	PRICE
CSW125010	10'	12	8	\$17.87
CSW125015	15'	12	8	\$20.00
CSW250010	10'	N/A	8	\$23.36
CSW250015	15'	N/A	8	\$26.21

TOOL INFORMATION



PART #	QTY/SOLD BY	PRICE
CSDSTOOL	EACH	\$147.55
HFWR	EACH	\$133.63

ISOLATION HANGER

- Steel suspension bracket with rubber isolation pad
- 1100 lbs. maximum load-bearing capacity
- For 3/8" threaded rod
- Zinc Electroplated to 10 -15 microns
- 75 -85 Styrene-butadiene rubber
- 194° F max to -22° F min temp



MODEL	OVERALL LENGTH	MAX WIDTH	QTY/SOLD BY	PRICE
DM 2723 SI	5 7/8"	1 13/16" X 1 13/16"	EACH	\$21.28

HANGER STRAP

- Convenient carrying handle
- Easy to dispense box design
- Perfect for small or difficult installations



PART #	GA	QTY/SOLD BY	PRICE
1BSTGA20	20	100'/Box	\$101.33
1BSTGA22	22	200'/Box	\$125.20
1BSTGA24	24	200'/Box	\$122.53
1BSTGA26	26	200'/Box	\$119.89

CABLE SHARK FIELD KITS

Cable Shark Site Kit for CSW125

- Includes: Qty 2 - CSW125500 (#125 Cable, 500' Spool)
- Qty 200 - CS125 (#125 Cable Shark)
- Qty 1 - HWRC (Cable Cutter)
- Qty 1 - CSDSTOOL (Load Adjuster Tool)



Cable Shark Site Kit for CSW250

- Includes: Qty 1 - CSW250500 (#250 Cable, 500' Spool)
- Qty 100 - CS250 (#250 Cable Shark)
- Qty 1 - HWRC (Cable Cutter)
- Qty 1 - CSDSTOOL (Load Adjuster Tool)



PART #	PRICE
CS125SITEKIT	\$2113.01
CS250SITEKIT	\$1599.97

Hanging Systems, Duct Hardware & Accessories

Duct Hardware, Polyarmor & Accessories



CABLE SHARK ACCESSORIES

Rectangular Duct Bracket

- Neoprene gasket reduces air leakage at the screws and sound transmission, adheres to ductwork for easy screw installation



PART #	QTY/SOLD BY	PRICE
ZBRACKET125GA	EACH	\$2.13

Round Duct Strap Bracket

- For ductwork up to 50" in diameter, fits 1" strapping gauges 18-22



PART #	QTY/SOLD BY	PRICE
DM4703GA	EACH	\$2.99

Hanger Adapter

- For flexibility when using Cable Shark CSW125 in duct hanging
- Use in conjunction with Z Bracket and Strap Bracket



PART #	QTY/SOLD BY	PRICE
CS125HA	EACH	\$6.67

POLYARMOR*

- Fiberglass free duct liner
- Hypoallergenic polyester material webbed into thermal blanket and bonded with FSK facing
- Excellent sound absorption and durability in the airstream
- R-4.2 (nom. 1"), R-5 (nom. 1¼") R-6 (nom. 1½") and R-8 (nom. 2") material available



*AVAILABLE ON SPECIAL ORDER. PLEASE CALL FOR DETAILS.

PRODUCT	DESCRIPTION	QTY/SOLD BY	PRICE
Damper Quad Set	⅜" single shear quadrant regulator set	1 Set	\$14.43
Single Shear Damper Quad	⅜" single shear quadrant regulator only	Each	\$9.28
Shaft Lock Damper Quad	½" shaft lock quadrant, round or square	Each	\$11.71
Regulator Set	non-insulated, ¼" square shaft dial regulators and ¼" sets	10/Pack	\$43.73
Insulated Regulator Set	insulated, ¼" square shaft dial regulators and ¼" sets	10/Pack	\$57.87
Regulator KWIKI Set	regulator and bearing, zinc-plated, install up to 10x10 damper	10/Pack	\$37.07
½" Weld Pins	½" weld pins for ½" duct liner	5,000/Box	\$421.84
¾" Weld Pins	¾" weld pins for 1" duct liner	5,000/Box	\$462.72
1" Weld Pins	1" weld pins for 1 ½" duct liner	5,000/Box	\$477.87
HIGH-HEAD Screws	#10 HH X ¾" self drilling screw	5,000/Box	\$259.76
HIGH-HEAD Screws	#8 HH X ¾" screw	10,000/Box	\$409.57
HIGH-HEAD Screws	#10 HH X 1 ½" screws	2,000/Box	\$158.56
EZ50	Bolt, Washer, Insert for ½" EMT Conduit	250/Box	\$1.39
EZ75	Bolt, Washer, Insert for ¾" EMT Conduit	250/Box	\$1.49

HARDWARE & ACCESSORIES

Adhesives & Duct Sealants

EverSeal, Gecko Glue, Quick-Stick, EZ-Seal, ProSeal, Quick Stick Fiber Guard



EVERSEAL

- Water based
- Indoor/outdoor grade
- For applications up to 10" wg
- Smooth application, remains flexible
- UL 181B-M Listed
- UL 723 Classified
- LEED® Compliant



SIZE	QTY/SOLD BY	PRICE
11 OZ. Tubes	EACH (25/Bx)	\$4.48
1 Gallon Bucket	EACH (4/Bx)	\$30.67
2" Chip Brush	EACH	\$2.64

EZ-SEAL

- Indoor and Outdoor Use
- Fiber Reinforced
- For Applications Up to 15" WG
- Remains Flexible
- UL 181B-M Listed
- UL 723 Classified
- LEED® Compliant
- Qualifies for LEED® EQ Credit 4.1



SIZE	QTY/SOLD BY	PRICE
1 Gallon Bucket	EACH (4/Bx)	\$30.67
2" Chip Brush	EACH	\$2.64

GECKO GLUE SILVER

- Water based
- Fast tacking
- Available in Black or White
- Non-flammable in wet and dry areas
- Smooth application, remains flexible
- Solvent free
- UL Classified
- LEED® Compliant



SIZE	QTY/SOLD BY	PRICE
5 Gallon Pail	EACH	\$179.63
54 Gallon Concentrated Mix	EACH	\$1096.19

QUICK-STICK

- Quick Tack, Permanent Bond, Self-Contained, Disposable System
- Methylene Chloride Free
- California SCAQMD 1168 Rule Compliant
- Low VOC, No Ozone depleting substances
- HAPS Free (Hazardous Air Pollutants)



SIZE	QTY/SOLD BY	PRICE
13 OZ. Can	EACH (12/Bx)	\$19.12
CA 22	EACH	\$717.07
CA 216L	EACH	\$5808.43
Spray Gun	EACH	\$382.27
12 Ft. Spray Hose	EACH	\$247.76

PROSEAL

- Indoor/outdoor grade
- Water based
- For applications up to 15" wg
- Low brush drag and spreadability
- Permanent seals metal duct systems
- Highly crack resistant and flexible
- UL 181B-M Listed, UL 723 Classified
- LEED® Compliant



SIZE	QTY/SOLD BY	PRICE
11 OZ. Tubes	EACH (25/Bx)	\$7.17
1 Gallon Bucket	EACH (4/Bx)	\$46.59
2" Chip Brush	EACH	\$2.64

QUICK-STICK FIBER GUARD EDGE COATING

- Encapsulating coating for leading edge or tears in duct liner insulations
- Quick, convenient aerosol spray can, self-contained, disposable system
- Non-tacky finish when cured
- Quick, tack-free time
- Highly durable and flexible coating



SIZE	QTY/SOLD BY	PRICE
14 OZ. Can	EACH (12/Bx)	\$16.67

Adhesives & Duct Sealants

Sure-Grip, Aluma-Grip, Foil-Grip, Protective Duct Wrap, Stripper Spray, FSK Duct Wrap, FSK Tape

SURE-GRIP 404


- Solvent based, fiber-free, synthetic rubber duct sealant
- Exceptional strength, fast drying, flexible
- Low velocity, no-drip, no-string formula
- SMACNA ½, 1, 2, 3, 4, 6 and 10" WG
- UL 181B-M listed
- Meets seal Class A



SIZE	QTY/SOLD BY	PRICE
11 OZ. Tubes	EACH (25/Bx)	\$8.77

ALUMA-GRIP AFT-701

- 40-Year cycle, indoor/outdoor use
- Heavy pressure, pressure sensitive
- Immediate seal, long term adhesion
- 30-mil thickness
- True Zero-VOC, zero dry time
- LEED® Compliant
- Aggressive water-resistant grip to sheet metal, duct board, flex duct, PVC coated duct and duct wrap vapor barriers



SIZE	QTY/SOLD BY	PRICE
3"	50' ROLL	\$50.45

FOIL-GRIP AFG-1403-181BX

- 40-Year cycle, indoor/outdoor use
- Pressures sensitive rolled mastic sealant
- Foil faced/butyl adhesive composite
- Immediate air-tight bond
- 17-mil thickness
- True Zero-VOC, zero dry time
- Superior tack for galvanized metal, flex duct, PVC coated pipe and ductwork
- UL 181B-FX listed



SIZE	QTY/SOLD BY	PRICE
3"	100' ROLL	\$70.64

STRIPPER SPRAY MAINTENANCE

- De-galvanizing agent strips galvanized build-up from metal forming machines and press dies



SIZE	QTY/SOLD BY	PRICE
15 OZ. Canister	EACH (12/Bx)	\$29.89

PROTECTIVE DUCT WRAP (BLUE)

- Single-ply polyethylene film
- Medium tack
- Elongation up to 600%
- Excellent strength
- Leaves no sticky residue on ductwork
- Convenient pliability



SIZE	QTY/SOLD BY	PRICE
24"	200' ROLL	\$32.27
36"	200' ROLL	\$48.40
48"	200' ROLL	\$64.53

FSK DUCT WRAP

DUCT WRAP SIZE	QTY/SOLD BY	PRICE
2 ¾" x 48" x 75' Roll	EACH	\$339.76
1 ½" x 48" x 100' Roll	EACH	\$277.65

FSK TAPE

FSK TAPE SIZE	QTY/SOLD BY	PRICE
3" x 150' Roll	EACH	\$29.71
4" x 150' Roll	EACH	\$42.45

DUCT, PIPE & FITTINGS

GreenSeam Plus Snap Lock Pipe & Fittings

Pipe, Adjustable Elbow, Tee, T-Cap, Reducer, Damper Blade



SNAP LOCK PIPE

- Designed and tested to surpass SMACNA Class 3 Leakage Standards
- Galvanized steel (ASTM A653 and A924)
- 26 GA, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Button lock pipe meets SMACNA RL-8
- Pressure rating -1" wg to +2" wg
- Transverse & longitudinal seam is pre-sealed with gasket



SIZE	26 GA		24 GA	
	24" PRICE	60" PRICE	24" PRICE	60" PRICE
4"	\$12.20	\$23.83	N/A	N/A
5"	\$15.83	\$25.09	N/A	N/A
6"	\$18.11	\$28.29	\$23.77	\$56.31
7"	\$19.69	\$36.49	\$24.17	\$62.37
8"	\$22.83	\$37.05	\$26.57	\$69.14
9"	\$24.91	\$46.83	N/A	N/A
10"	\$27.17	\$42.23	\$35.60	\$94.86
12"	\$32.17	\$78.20	\$39.91	\$112.03
14"	N/A	\$79.17	\$43.80	\$129.23
16"	N/A	N/A	\$52.83	N/A

TEE / T-CAP

- Galvanized steel (ASTM A653 and A924)
- 26GA, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Pressure rating per SMACNA Third Edition 2005 section 4.8 figure 4-6 Branch Connections
- Dimensional tolerance: $\pm \frac{1}{4}$ "
- Pre-sealed with gasket



SIZE	TEE		T-CAP	
	GA	PRICE	GA	PRICE
4"	26	\$35.11	26	\$13.20
5"	26	\$35.69	26	\$13.37
6"	26	\$45.03	26	\$13.89
7"	26	\$47.09	26	\$14.49
8"	26	\$51.71	26	\$15.91
9"	26	\$65.83	26	\$16.91
10"	26	\$75.34	26	\$25.40
12"	26	\$94.40	26	\$28.00
14"	26	\$196.23	26	\$37.89
16"	26	N/A	26	\$62.66

90° ADJUSTABLE ELBOW

- Galvanized steel (ASTM A653 and A924)
- 26GA, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Pressure rating -1" wg to +2" wg
- Dimensional tolerance: $\pm \frac{1}{4}$ "



SIZE	GA	PRICE	GA	PRICE
4"	26	\$6.97	24	N/A
5"	26	\$7.17	24	N/A
6"	26	\$7.60	24	\$20.69
7"	26	\$8.71	24	N/A
8"	26	\$10.66	24	\$23.46
9"	26	\$18.89	24	N/A
10"	26	\$16.77	24	\$36.94
12"	26	\$24.14	24	\$40.31
14"	26	\$29.69	24	\$45.97
16"	26	\$39.86	24	\$54.74

REDUCER / DAMPER BLADE

- Galvanized steel (ASTM A653 and A924)
- 26GS, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Pressure rating per SMACNA Third Edition 2005 section 4.8 figure 4-6 Branch Connections
- Dimensional tolerance: $\pm \frac{1}{4}$ "
- Damper Blade: 24 GA, G-60 galvanized steel



REDUCER			DAMPER		
SIZE	GA	PRICE	SIZE	GA	PRICE
4" x 3"	26	\$22.49	4"	24	\$8.83
5" x 4"	26	\$22.49	5"	24	\$9.74
6" x 4", 6" x 5"	26	\$22.49	6"	24	\$9.91
7" x 6", 7" x 5"	26	\$25.09	7"	24	\$10.20
8" x 7", 8" x 6"	26	\$25.97	8"	24	\$10.51
9" x 8"	26	\$30.77	9"	24	\$9.60
10" x 9"/8"/7"/6"	26	\$30.77	10"	24	\$9.40
12" x 10"/8"/6"	26	\$32.11	12"	24	\$12.49
14" x 12", 14" x 10"	26	\$36.63	14"	24	\$23.11
14" x 8"					
16" x 14", 16" x 10", 16" x 12"	26	\$59.94	16"	24	\$32.91

DIMENSIONS SHOWN ARE DUCT SIZE x TAP SIZE

Take-Off Fittings

Start Collar, Press-On, HETO, Conical



START COLLAR 3" AND 6" HIGH

- Designed and tested to surpass SMACNA Class 3 Leakage Standards
- Galvanized steel (ASTM A653 and A924)
- 26 GA, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Dimensional tolerance: $\pm \frac{1}{4}$ "
- Pre-sealed with gasket



SIZE	GA	BOX QTY	3" HIGH PRICE	6" HIGH PRICE
4"	26	30	\$6.67	\$5.29
5"	26	30	N/A	\$5.66
6"	26	20	\$6.71	\$9.46
7"	26	20	N/A	\$10.34
8"	26	20	\$8.14	\$10.43
9"	26	20	N/A	\$12.43
10"	26	20	\$11.71	\$13.37
12"	26	10	\$13.06	\$14.91
14"	26	10	\$16.31	\$17.71
16"	26	5	\$18.43	\$22.94
18"	26	5	\$20.54	\$36.94
20"	26	5	\$29.46	\$51.57

PRESS-ON COLLAR WITH OR WITHOUT DAMPER

- Designed and tested to surpass SMACNA Class 3 Leakage Standards
- Galvanized steel (ASTM A653 and A924)
- 26 GA, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Dimensional tolerance: $\pm \frac{1}{4}$ "
- Pre-sealed with gasket



SIZE	GA	BOX QTY	PRICE EACH WITH DAMPER	PRICE EACH WITHOUT DAMPER
4"	26	25	\$18.17	\$17.71
5"	26	25	\$29.89	N/A
6"	26	20	\$18.86	\$19.06
7"	26	20	\$20.94	\$20.37
8"	26	20	\$21.43	\$20.51
9"	26	10	\$27.46	N/A
10"	26	10	\$27.89	\$22.40
12"	26	10	\$32.86	\$29.31
14"	26	5	\$35.97	\$31.77
16"	26	5	\$50.03	\$44.00
18"	26	5	\$70.37	\$48.34
20"	26	2	\$79.49	\$60.51

***PRESS ONS ALSO AVAILABLE WITH STAND OFF AND ROSSI HARDWARE 4"-16"**

HETO WITH DAMPER AND/OR WITH STAND-OFF AND ROSSI HARDWARE

- Designed and tested to surpass SMACNA Class 3 Leakage Standards
- Galvanized steel (ASTM A653 and A924)
- 26 GA, G-60 galvanized coating (ASTM A653 and ASTM A90)
- Dimensional Tolerance: $\pm \frac{1}{4}$ "
- Pre-sealed with gasket



SIZE	GA	PRICE EACH HETO WITH DAMPER	PRICE EACH HETO WITH STAND-OFF & ROSSI HARDWARE
4"	26	\$31.91	\$60.91
5"	26	\$40.23	N/A
6"	26	\$32.69	\$54.49
7"	26	\$46.86	N/A
8"	26	\$37.74	\$57.97
9"	26	\$66.09	N/A
10"	26	\$57.89	\$78.51
12"	26	\$75.43	\$96.60
14"	26	\$93.06	\$114.86
16"	26	\$186.49	\$173.63
18"	26	\$209.74	N/A
20"	26	\$233.03	N/A

***2" DAMPER SHAFT EXTENSIONS AVAILABLE**

CONICAL WITH DAMPER

- GSI Conicals are designed and tested to surpass SMACNA Class 3 Leakage Standards
- Pre-sealed with a gasket made of EPDM rubber and proprietary co-polymer
- Zero VOCs
- Galvanized Steel (ASTM A653 and A924)
- G-60 Galvanized Coating (ASTM A653 and ASTM A90)
- Available in Specialty Metals
- G-90 Galvanized Steel



SIZE	GA	BOX QTY	PRICE EACH
4"	26	16	\$30.31
5"	26	16	N/A
6"	26	16	\$31.29
7"	26	6	N/A
8"	26	6	\$35.43
9"	26	6	N/A
10"	26	6	\$41.26
12"	26	4	\$47.37
14"	26	4	\$59.74
16"	26	4	\$74.11
18"	26	2	N/A
20"	26	1	N/A

***CONICALS ALSO AVAILABLE WITH STAND OFF AND ROSSI HARDWARE 6"-16"**

DUCT, PIPE & FITTINGS

Spiral Pipe & Fittings

Pipe, Elbow, Plug, Coupling

SPIRAL PIPE

- Single wall
- Galvanized steel (ASTM A653 and A924)
- G-60 galvanized coating (ASTM A653 and ASTM A90)



SIZE	LENGTH	GA	PRICE
4"	10'	26	\$48.97
5"	10'	26	\$58.63
6"	10'	26	\$68.26
7"	10'	26	\$77.89
8"	10'	26	\$87.51
9"	10'	26	\$97.14
10"	10'	26	\$106.77
12"	10'	26	\$129.09
14"	10'	26	\$148.34
16"	10'	24	\$170.69
18"	10'	24	\$189.94
20"	10'	24	\$263.80

SEE PAGE 21 FOR SPIRAL DUCT MOUNTED GRILLES

90° OR 45° ELBOW

- Galvanized steel
- Gasketed
- Gore locked seams
- 1.5 centerline radius



SIZE	90°		45°	
	GA	PRICE	GA	PRICE
4"	26	\$30.49	24	\$26.97
5"	26	\$32.43	24	\$28.43
6"	26	\$37.26	24	\$31.57
7"	26	\$41.66	24	\$34.57
8"	26	\$46.91	24	\$37.94
9"	26	\$52.57	24	\$41.74
10"	26	\$61.03	24	\$47.77
12"	26	\$85.83	24	\$56.86
14"	26	\$104.03	24	\$68.66
16"	24	\$127.20	24	\$82.46
18"	24	\$231.20	24	\$174.40
20"	24	\$270.43	24	\$208.97

PLUG

- Galvanized steel
- Gasketed
- Internal working pressure: +10" wg



SIZE	GA	PRICE
4"	26	\$16.09
5"	26	\$20.66
6"	26	\$21.49
7"	26	\$22.94
8"	26	\$23.97
9"	26	\$26.06
10"	26	\$28.34
12"	26	\$33.11
14"	26	\$38.00
16"	26	\$43.60
18"	26	\$92.06
20"	26	\$98.40

COUPLING

- Galvanized steel
- Gasketed
- Internal working pressure: +10" wg



SIZE	GA	PRICE
4"	26	\$14.60
5"	26	\$21.40
6"	26	\$21.89
7"	26	\$22.97
8"	26	\$23.23
9"	26	\$24.86
10"	26	\$25.17
12"	26	\$26.74
14"	26	\$30.14
16"	24	\$31.00
18"	24	\$33.11
20"	24	\$34.23

Take-Off Fittings

Saddle Tap, Reducer, Press-On Saddle w/Damper, 4" Aluminum Pipe & Elbow, In Line Sleeved Damper

SADDLE TAP

- Galvanized steel
- Gasketed
- Internal working pressure: +10" wg
- Branch size on pipe size listed



SIZE	GA	PRICE
4" on 5"	26	\$26.43
4" on 6"/7"	26	\$26.43
5" on 6"/7"	26	\$30.11
6" on 8"	26	\$26.63
6" on 10"/12"	26	\$26.63
6" on 14"/18"	26	\$26.63
8" on 10"	26	\$30.49
8" on 12"/14"	26	\$30.49
8" on 16"/18"	26	\$30.49
10" on 12"	26	\$36.03
10" on 14"/16"	26	\$36.03
10" on 18"/20"	26	\$36.03
12" on 14"/16"	24	\$47.69
12" on 18"/20"	24	\$47.69
14" on 16"	24	\$65.23
14" on 18"	24	\$65.23
14" on 20"	24	\$65.23
16" on 18"	24	\$68.57
16" on 20"	24	\$68.57
18" on 20"	24	\$78.00

PRESS-ON SADDLE WITH DAMPER

- Galvanized steel
- Gasketed
- Branch size on pipe size listed



SIZE	GA	PRICE
4" on 6"- 8"	26	\$18.46
6" on 6"	26	\$21.54
6" on 8"-10"	26	\$21.54
8" on 8"-10"	26	\$27.26
8" on 10"-12"	26	\$27.26
8" on 14"-16"	26	\$27.26
10 on 10"-12"	26	\$33.37
12" on 12"-14"	26	\$40.97
14" on 16"-18"	26	\$53.29

* PRESS-ON SADDLES ALSO AVAILABLE WITH STAND OFF AND ROSSI HARDWARE 4"-16"

REDUCER

- Galvanized steel
- Gasketed
- Internal working pressure: +10" wg



SIZE	GA	PRICE
5" x 4"	26	\$28.46
6" x 4"	26	\$29.20
6" x 5"	26	\$44.71
7" x 5"	26	\$47.97
7" x 6"	26	\$47.97
8" x 5"	26	\$51.11
8" x 6"	26	\$51.11
8" x 7"	26	\$51.11
9" x 5"	26	\$54.51
9" x 6"	26	\$54.51
9" x 8"	26	\$54.51
10" x 6"	26	\$58.80
10" x 8"	26	\$58.80
10" x 9"	26	\$58.80
12" x 6"	24	\$64.17
12" x 8"	24	\$64.17
12" x 9"	24	\$64.17
12" x 10"	24	\$64.17
14" x 8"	24	\$71.00
14" x 10"	24	\$71.00
14" x 12"	24	\$71.00
16" x 10"	24	\$78.54
16" x 12"	24	\$78.54
16" x 14"	24	\$78.54
18" x 14"	24	\$120.69
18" x 16"	24	\$120.69
20" x 16"	24	\$127.86
20" x 18"	24	\$127.86

4" ALUM PIPE & ELBOW

MODEL	PRICE
4" Snaplock 5ft Pipe	\$21.86
4" Adjustable 90 Elbow	\$5.80

6" IN-LINE SLEEVED DAMPER WITH STAND OFF AND ROSSI HARDWARE

SIZE	PRICE
4"	\$59.06
6"	\$29.69
8"	\$38.83
10"	\$43.31
12"	\$48.37
14"	\$56.29
16"	\$80.26



Flexible Duct

Insulated 1M, 3M, 030 and 036



FlexmasterUSA
Flexible Duct, Sheet Metal Fittings, Access Doors and Accessories



INSULATED - 1M R6

- UL181, Class 1 Air Duct
- Acoustical application
- Polyethylene fabric
- Corrosive resistant galvanized steel helix
- Fire retardant, reinforced aluminum material
- Fiberglass insulation
- 10" wg positive working pressure



SIZE	LENGTH PER BOX	PRICE
4"	25'	\$164.46
6"	25'	\$193.26
8"	25'	\$234.31
10"	25'	\$273.37
12"	25'	\$323.57
14"	25'	\$390.03
16"	25'	\$465.23
18"	25'	\$572.69
20"	25'	\$660.34

INSULATED - 3M R6

- UL181, Class 1 Air Duct
- Low to high pressure applications
- Aluminum foil, fiberglass and aluminized polyester trilaminate fabric
- Corrosive resistant galvanized steel helix
- Fire retardant, reinforced aluminum material
- Fiberglass insulation
- 20" wg positive working pressure



SIZE	LENGTH PER BOX	PRICE
4"	25'	\$224.63
6"	25'	\$275.54
8"	25'	\$332.40
10"	25'	\$398.06
12"	25'	\$465.89
14"	25'	\$547.31
16"	25'	\$652.23
18"	25'	\$781.51

INSULATED - TYPE 030 R4.2

- UL181, Class 1 Air Duct
- Low to medium pressure application
- Tri-directional, scrim reinforced metal polyester vapor barrier
- Air-tight core
- 6" wg 4" thru 12" positive working pressure
- 4" wg 14" thru 20" positive working pressure



SIZE	LENGTH PER BOX	PRICE
4"	25'	\$73.00
5"	25'	\$85.00
6"	25'	\$96.00
7"	25'	\$105.00
8"	25'	\$114.00
10"	25'	\$143.00
12"	25'	\$173.00
14"	25'	\$209.00
16"	25'	\$247.00
18"	25'	\$286.00
20"	25'	\$348.00

INSULATED - TYPE 036 R6

- UL181, Class 1 Air Duct
- Low to medium pressure application
- Tri-directional, scrim reinforced metal polyester vapor barrier
- Air-tight core
- 6" wg 4" thru 12" positive working pressure
- 4" wg 14" thru 20" positive working pressure



SIZE	LENGTH PER BOX	PRICE
4"	25'	\$81.00
5"	25'	\$95.00
6"	25'	\$106.00
7"	25'	\$117.00
8"	25'	\$127.00
9"	25'	\$144.00
10"	25'	\$159.00
12"	25'	\$198.00
14"	25'	\$239.00
16"	25'	\$275.00
18"	25'	\$320.00
20"	25'	\$377.00

Flexible Duct & Accessories

Non-Insulated 055, Quick Release Clamp, DYN-O-TIE, Tension Tool



NON-INSULATED - TYPE 055

- UL181, Class 1 Air Connector
- Low to medium pressure application
- Metallized polyester, aluminum foil and polyester triple lamination
- Air-tight non-insulated core
- 10" wg positive working pressure



SIZE	LENGTH PER BOX	PRICE
4"	25'	\$36.16
5"	25'	\$42.00
6"	25'	\$43.26
7"	25'	\$48.50
8"	25'	\$57.00
9"	25'	\$65.33
10"	25'	\$72.00
12"	25'	\$90.00
14"	25'	\$108.00
16"	25'	\$129.25
18"	25'	\$155.00
20"	25'	\$186.00

QUICK RELEASE CLAMP

- Band and housing are AISI 201 stainless steel
- Screw made of AISI 1018 carbon steel
- Bridge is AISI 410 stainless steel



MODEL	FLEX SIZE	CLAMP MIN.	DIAMETER MAX	LENGTH	PRICE
LS-152	9"	2"	10"	32"	\$7.91
LS-232	12"	10"	14"	48"	\$9.91

TENSION TOOL

- Nonmetallic clamps
- For use with 120 -175 lbs. duct straps



MODEL	PRICE
Tension Tool	\$87.91

DYN-O-TIE

- For use with high or low pressure flex, insulated or non-insulated flex and positive or negative pressure systems



MODEL/LENGTH	WITH LINER	OVER INSULATION	SAME SIZE TOGETHER	QTY/SOLD BY	PRICE EACH
DDN-36"	36"	10"	17"	50/Bag	\$27.57
DDN-48"	48"	14"	25"	50/Bag	\$50.94

DUCT, PIPE & FITTINGS

Access Doors

Model M, UFR Fire Rated, Round Spiral, Hinge & Cam, Cam Latch, Press-On Cam Latch

MODEL M

- 18 GA steel door
- 18 GA steel trim
- Stainless steel flush cam latch
- Pin hinge top and bottom
- Allows opening to 165°
- Primed White baked enamel finish
- Paintable surface



SIZE	PRICE
10" x 10"	\$74.46
12" x 12"	\$78.23
14" x 14"	\$94.17
16" x 16"	\$107.49
18" x 18"	\$125.37
24" x 24"	\$190.91

ROUND SPIRAL DUCT SANDWICH

- Non-insulated doors
- Precision stamped steel
- Closed cell neoprene gasket
- Tested to 20" wg with no leakage noted
- Tested to negative 10" wg with no leakage noted
- No frame to install
- Effortless opening and closing (no tools required)
- No measuring (self-adhesive template provided)



SIZE	SPIRAL DUCT SIZE	PRICE
8" x 4"	6"	\$79.17
8" x 4"	8"	\$79.17
12" x 8"	10"	\$112.40
12" x 8"	12"	\$112.40
12" x 8"	14"	\$112.40
12" x 8"	16"	\$112.40
12" x 8"	18"	\$112.40
16" x 12"	16"	\$154.51
16" x 12"	18"	\$154.51
16" x 12"	20"	\$154.51

MODEL UFR

- 20 GA steel door
- 16 GA steel trim
- Knurled knob lock with one flush key
- Flush continuous piano type hinge
- 2" thick mineral wool insulation
- Primed White baked enamel finish
- Paintable surface



SIZE	PRICE
12" x 12"	\$299.26
16" x 16"	\$438.37
24" x 24"	\$466.51

HINGE / CAM / PRESS ON CAM LATCH

- Insulated
- Double gasketed
- 1" high density fiberglass insulation
- Closed cell cross-linked polyethylene gasket
- Temperature range of -70°F to 175°F
- HINGE: full length galvanized steel piano hinge is secured to both frame and door with cam latch
- CAM LATCH: 16 GA galvanized steel cam and 20 GA galvanized steel latch
- Available with press-on frame



SIZE	HINGE & CAM PRICE	CAM LATCH PRICE	PRESS-ON CAM LATCH PRICE
6" x 6"	\$33.20	\$33.20	\$42.91
8" x 8"	\$37.71	\$37.71	\$46.83
10" x 10"	\$44.71	\$44.71	\$54.66
12" x 12"	\$51.00	\$51.00	\$60.51
14" x 14"	\$59.54	\$59.54	\$80.11
16" x 16"	\$68.14	\$68.14	\$91.86
18" x 18"	\$76.89	\$76.89	\$105.57
20" x 20"	\$85.17	\$85.17	\$119.26
24" x 24"	\$107.00	\$107.00	\$144.66


B-Vent & Accessories

Pipe, Elbow, Tee, T-Cap, Tall Cone, Storm Collar, Various Accessories




B-VENT


- Ameri-vent Type B is all-metal, double-wall gas vent listed by Underwriters Laboratories, Inc.
- Approved for residential and commercial applications such as Category 1 water heaters, boilers, furnaces, space heaters or wall heaters
- UL-approved Type B gas vent products form a continuous passageway from an approved gas appliance to the termination of the vent above the roof of the structure
- Uses a double wall of metal pipe for insulation and safety
- Inner pipe of reflecting aluminum heats quickly, containing the warm flue gases inside
- Air space between inner and outer pipes provides insulation against heat loss to keep warmer flue gases on the rise
- Outer pipe of corrosion-resistant galvanized steel insures strength, safety and durability
- Adaptors are universal for use with other manufacturer's double-wall B-vent



TYPICAL INSTALLATION



SINGLE INSTALLATION



MULTIPLE INSTALLATION

B-VENT AND COMPONENTS	3"	4"	5"	6"	7"
5' Long Pipe	\$24.60	\$143.28	\$162.76	\$194.08	N/A
4' Long Pipe	\$15.50	\$120.56	\$136.72	\$171.52	N/A
3' Long Pipe	\$14.14	\$93.64	\$102.72	\$149.24	\$47.55
24" Long Pipe	\$12.01	\$70.84	\$83.88	\$102.68	N/A
18" Long Pipe	\$9.28	\$52.40	\$65.92	\$75.20	\$29.77
12" Long Pipe	\$6.97	\$46.72	\$55.28	\$64.00	\$67.86
12" Long Adjustable Pipe	\$11.18	\$60.40	\$62.88	\$77.88	N/A
90 Adjustable Elbow	\$18.25	\$112.52	\$134.08	\$162.64	\$63.57
45 Adjustable Elbow	\$10.22	\$68.16	\$79.64	\$98.16	\$38.27
Tee	\$26.26	\$158.88	\$166.48	\$190.12	\$41.89
Tee Cap	\$1.79	\$10.60	\$13.56	\$19.76	N/A
Draft Hood Connector	\$6.06	\$43.20	\$47.60	\$66.84	\$14.43
Ameri-Cap	\$9.31	\$57.24	\$73.00	\$97.64	N/A
Standard Flashing 5" High	\$6.32	\$41.24	\$65.52	\$98.40	\$28.65
Tall Cone 12" High	N/A	\$120.00	\$122.60	\$140.24	N/A
Storm Collar	\$2.44	\$13.36	\$24.32	\$26.60	N/A
Firestop	\$6.42	N/A	N/A	N/A	N/A
Firestop Support	\$9.28	\$63.08	\$65.68	\$71.72	\$18.23
Female Adaptor	N/A	\$85.76	\$87.92	\$88.84	N/A
Male Adaptor	N/A	\$85.76	\$87.92	\$88.84	N/A
Bucket Support	\$26.44	\$26.44	N/A	N/A	\$7.18
Bucket Hanger	\$5.23	\$27.76	\$43.88	\$54.52	\$43.06

NOTE (1) 4"-6" SIZES O.D. EQUALS I.D. +1/2", (2) STD FLASHING FLAT TO 6/12 PITCH, (3) TALL CONE FLASHING TO 1/12 PITCH


Ceiling Diffusers 1450, SHR, TMS

KRUEGER


Titus
Redefine your comfort zone.™

1450 - STEEL LOUVERED FACE DIFFUSER WITH 3-CONES

- 3 cones for optimum airflow control
- 1-piece stamped construction cone without mitered joints
- Round inlet for easy connection
- Anti-smudge design prevents smeared ceilings
- Two earthquake tabs are standard
- Steel construction
- Standard finish is British White



FRAME 22, SURFACE MOUNT, 12" x 12"




FRAME 23, LAY-IN, T-BAR, 24" x 24"

NECK SIZE	CFM@NC-35	1450 SURFACE MOUNT 12"X12"	1450 LAY-IN 24"X24"	TMS SURFACE MT 12" X 12"	TMS LAY-IN 24" X 24"	SURFACE FRAME 24" X 24"	PRN100	NECK SIZE	SURFACE MOUNT AND LAY-IN	
									A	B
6"	280	\$57.97	\$77.23	\$50.97	\$86.66	\$50.06	\$16.63	6"	5 1/8"	1 1/4"
8"	415	\$62.51	\$77.23	\$50.97	\$86.66	\$50.06	\$19.86	8"	7 7/8"	1 1/4"
10"	575		\$77.23		\$86.66	\$50.06	\$24.54	10"	9 7/8"	1 1/2"
12"	690		\$77.23		\$86.66	\$50.06	\$29.51	12"	11 7/8"	1 1/2"
14"	855		\$77.23		\$86.66	\$50.06	\$33.34	14"	13 7/8"	1 1/2"

SHR - STEEL LOUVERED FACE DIFFUSER WITH SQUARE NECK


- Square inlet; round duct connection available
- Complete diffuser consists of frame and core
- Items stocked, shipped and sold separately
- Steel construction
- Standard finish is British White



FRAME 21, SURFACE MOUNT, BEVELED



FRAME 22, SURFACE MOUNT



FRAME 23, LAY-IN, T-BAR

NECK SIZE	CFM@NC-35	FRAME 21 SURFACE MT BEVELED	FRAME 22 SURFACE MT	FRAME 23 LAY-IN 24" X 24"	OBDFA DAMPER	SQUARE TO ROUND CONNECTION	
						SIZE	PRICE
6" - 6" x 6"	260	\$54.60	\$54.60	\$76.00	\$25.11	6" x 6" x 6"	\$21.09
8" - 9" x 9"	540	\$67.46	\$67.46	\$88.86	\$33.49	9" x 9" x 6" or 8"	\$26.17
12" - 12" x 12"	950	\$93.14	\$93.14	\$114.54	\$41.86	12" x 12" x 10" or 12"	\$28.71
14" - 15" x 15"	1300	\$125.26	\$125.26	\$146.66	\$55.80	15" x 15" x 12" or 14"	\$34.69


Ceiling Diffusers

OMNI




OMNI - STEEL DIFFUSER WITH REMOVAL SQUARE PLAQUE FACE

- 360° radial discharge air pattern w/round inlet
- Removable square faceplate and damper
- Directional blow pattern control tabs (DBT) available
- Steel construction
- Standard finish is British White



FRAME 23, LAY-IN, T-BAR, 12" x 12" / PLQ SIDE VIEW



FRAME 23, LAY-IN, T-BAR, 24" x 24" / PLQ SIDE VIEW

NECK SIZE	CFM@ NC-35	OMNI SURFACE MT 12" X 12"	OMNI LAY-IN 24" X 24"	DAMPER PRN100	DIRECTIONAL BLOW CLIPS		NECK SIZE	SIDE VIEW 12" X 12"	SIDE VIEW 24" X 24"
					12"	24"		C	C
6"	216	\$59.54	\$94.11	\$16.63	\$8.91	\$8.91	6"	1 1/8"	1 1/8"
8"	365	\$59.54	\$94.11	\$19.86	\$8.91	\$8.91	8"	1 1/8"	1 1/4"
10"	500		\$94.11	\$24.54		\$8.91	10"		1 3/8"
12"	670		\$94.11	\$29.51		\$8.91	12"		1 3/8"
14"	855		\$94.11	\$33.34		\$8.91	14"		1 3/8"

AIR DISTRIBUTION




Ceiling Diffusers

1975, PTBSI



1975 - ALUMINUM LINEAR SLOT DIFFUSER



- Extruded aluminum construction
- Adjustable, removable blades with $\frac{3}{4}$ " slot width
- End borders faceted with end cap
- Frame style accommodates lay-in or surface mount
- Matching insulated boot plenum (1900Boot) available
- Steel construction
- Standard frame finish is British White; blades are Black



SIZE	NUMBER OF $\frac{3}{4}$ " SLOTS	CFM @ NC-35	FRAME					INSULATED BOOT PLENUM			DIFFUSER PRICE	PLENUM PRICE
			A	B	C	D	OA	INLET	W	H		
24"	2	150	1 $\frac{1}{8}$ "	$\frac{3}{4}$ "	4 $\frac{1}{2}$ "	3 $\frac{3}{4}$ "	23 $\frac{3}{4}$ "	6"	3 $\frac{15}{16}$ "	11"	\$86.37	\$90.43
24"	4	300	1 $\frac{1}{8}$ "	$\frac{3}{4}$ "	7 $\frac{1}{2}$ "	6 $\frac{3}{4}$ "	23 $\frac{3}{4}$ "	8"	6 $\frac{15}{16}$ "	11"	\$132.26	\$99.86
48"	2	325	1 $\frac{1}{8}$ "	$\frac{3}{4}$ "	4 $\frac{1}{2}$ "	3 $\frac{3}{4}$ "	47 $\frac{3}{4}$ "	8"	3 $\frac{15}{16}$ "	11"	\$156.54	\$112.00
48"	4	650	1 $\frac{1}{8}$ "	$\frac{3}{4}$ "	7 $\frac{1}{2}$ "	6 $\frac{3}{4}$ "	47 $\frac{3}{4}$ "	10"	6 $\frac{15}{16}$ "	11"	\$248.31	\$118.77

PTBSI - STEEL PLENUM SLOT DIFFUSER

- Combination slot diffuser with plenum for lay-in T-Bar ceiling systems
- Adjustable, gasketed aluminum straight blades
- Can be locked into place with blade screws
- Double metal thickness at slot face
- Steel construction
- Face and deflectors are standard Black
- Center-T is standard British White



SIZE	NUMBER OF 1" SLOTS	CFM @ NC-35	INLET SIDE VIEW					CROSS SECTION	PRICE	SURFACT MT FRAME
			SIZE	C	D	E	L	W		
24"	2	109	6"	6 $\frac{1}{4}$ "	5 $\frac{1}{4}$ "	6 $\frac{1}{4}$ "	23 $\frac{3}{4}$ "	4"	\$113.77	\$20.91
48"	2	201	8"	9 $\frac{3}{8}$ "	5 $\frac{1}{4}$ "	6 $\frac{3}{8}$ "	47 $\frac{3}{4}$ "	4"	\$155.54	\$29.29


Ceiling Diffusers

RM1, 5DMGDU



RM1 - STEEL ROUND DIFFUSER WITH 3 CONES


- Horizontal only air distribution for heating and cooling
- 360° discharge air pattern
- For exposed duct or hard ceiling applications
- Two cone position adjustments
- Steel construction
- Standard finish is British White



NECK SIZE	CFM @NC-25	CROSS SECTION				PRICE	DAMPER PRN100
		B	C	D (1)	D (2)		
6"	200	6 1/2"	11 1/8"	1 3/4"	1 1/8"	\$106.37	\$16.63
8"	315	8 1/2"	14 3/4"	2 1/8"	1 1/2"	\$118.06	\$19.86
10"	475	10 1/2"	18 1/4"	2 1/8"	2 1/8"	\$128.43	\$24.54
12"	630	12 1/2"	22"	3 1/8"	2 3/8"	\$146.57	\$29.51
14"	850	14 1/2"	26"	3 3/8"	2 5/8"	\$197.17	\$33.34
16"	1050	16 1/2"	29"	4"	3 1/4"	\$234.80	N/A

5DMGDU-DOUBLE DEFLECTION SPIRAL DUCT MOUNTED GRILLE with DAMPER

- Double deflection
- Universal end caps
- Vertical front blades
- 3/4" blade spacing
- Aluminum construction
- Built-in backdraft damper
- Standard finish is Mill
- Clear Anodized Coating



SIZE	FITS PIPE SIZE	CFM@NC-35	PRICE
12" x 3"	6" - 36"	175	\$122.06
12" x 4"	10" - 36"	235	\$127.00
12" x 6"	12" - 36"	355	\$135.26
18" x 4"	10" - 36"	349	\$143.49
18" x 6"	12" - 36"	525	\$153.40


Grilles & Registers 880H




880H - DOUBLE DEFLECTION SUPPLY GRILLE




- Surface mount with screw holes
- Individually adjustable blades
- 3/4" blade spacing
- Horizontal front blades and vertical rear blades
- Steel construction
- Standard finish is British White



SIDE VIEW AND FACE VIEW



CROSS SECTION



STANDARD FRAME

DUCT SIZE	CFM@NC-35	PRICE	OBD	DUCT SIZE	CFM@NC-35	PRICE	OBD
6" x 6"	200	\$40.34	\$13.94	20" x 6"	660	\$60.51	\$22.31
8" x 6"	280	\$40.34	\$15.34	20" x 8"	900	\$66.71	\$29.29
8" x 8"	360	\$41.89	\$16.74	20" x 10"	1050	\$71.37	\$33.49
10" x 6"	330	\$43.46	\$16.74	20" x 16"	1700	\$102.43	\$54.40
10" x 8"	450	\$45.00	\$18.14	24" x 6"	800	\$69.83	\$26.51
10" x 10"	575	\$48.11	\$20.91	24" x 8"	1050	\$74.49	\$33.49
12" x 4"	280	\$41.89	\$15.34	24" x 10"	1300	\$85.34	\$40.46
12" x 6"	430	\$46.54	\$18.14	24" x 12"	1550	\$93.11	\$48.83
12" x 8"	550	\$48.11	\$19.51	24" x 16"	1950	\$119.49	\$65.57
12" x 10"	700	\$52.77	\$22.31	30" x 6"	700	\$88.46	\$30.69
12" x 12"	800	\$57.43	\$26.51	30" x 8"	1300	\$97.77	\$40.46
14" x 6"	450	\$49.66	\$18.14	30" x 10"	1600	\$107.09	\$51.60
14" x 8"	640	\$52.77	\$22.31	30" x 12"	1900	\$114.83	\$61.37
14" x 10"	800	\$57.43	\$26.51	30" x 18"	2700	\$167.60	\$96.26
14" x 14"	825	\$69.83	\$33.49	36" x 8"	1500	\$124.14	\$48.83
16" x 6"	550	\$54.31	\$19.51	36" x 12"	2200	\$155.17	N/A
16" x 8"	720	\$57.43	\$25.11	36" x 18"	3200	\$217.26	\$118.57
16" x 10"	900	\$62.06	\$29.29	36" x 24"	4269	\$310.34	\$108.62
16" x 12"	980	\$69.83	\$33.49	48" x 6"	1550	\$150.51	N/A
16" x 16"	1400	\$88.46	\$43.23	48" x 12"	3000	\$195.51	N/A
18" x 6"	600	\$57.43	\$20.91	48" x 16"	3700	\$252.94	N/A
18" x 8"	800	\$62.06	\$26.51				
18" x 10"	1000	\$69.83	\$30.69				
18" x 12"	1100	\$74.49	\$37.66				


Grilles & Registers

S80H




S80H - SINGLE DEFLECTION RETURN GRILLE

- Surface mount with screw holes.
- 35° blade deflection
- 3/4" blade spacing
- Horizontal front blades and vertical rear blades
- Steel construction
- Standard finish is British White




SIDE VIEW AND FACE VIEW

SHOWN
WITH
CLOSED
OBD



CROSS SECTION



STANDARD FRAME

DUCT SIZE	CFM@NC-35	PRICE	OBD	DUCT SIZE	CFM@NC-35	PRICE	OBD	
6" x 6"	190	\$24.83	\$13.94	20" x 20"	1640	\$80.69	\$69.74	
8" x 6"	260	\$24.83	\$15.34	24" x 6"	740	\$45.00	\$26.51	
8" x 8"	330	\$27.94	\$16.74	24" x 8"	900	\$48.11	\$33.49	
10" x 6"	370	\$29.49	\$16.74	24" x 10"	1140	\$52.77	\$40.46	
10" x 8"	400	\$31.03	\$18.14	24" x 12"	1300	\$57.43	\$48.83	
10" x 10"	550	\$32.60	\$20.91	24" x 16"	1570	\$71.37	\$65.57	
12" x 4"	290	\$27.94	\$15.34	24" x 18"	1800	\$85.34	\$75.31	
12" x 6"	410	\$31.03	\$18.14	24" x 20"	1650	\$93.11	\$85.09	
12" x 8"	520	\$32.60	\$19.51	24" x 24"	2100	\$114.83	\$104.63	
12" x 10"	630	\$34.14	\$22.31	30" x 12"	1460	\$69.83	\$61.37	
12" x 12"	750	\$35.69	\$26.51	30" x 18"	2100	\$107.09	\$96.26	
14" x 6"	480	\$32.60	\$18.14	30" x 24"	2700	\$145.86	\$133.91	
14" x 8"	600	\$34.14	\$22.31	30" x 30"	3400	\$184.66	\$177.14	
14" x 10"	740	\$35.69	\$26.51	36" x 12"	1700	\$90.00	N/A	
14" x 12"	800	\$40.34	\$29.29	36" x 18"	2400	\$128.80	\$118.57	
14" x 14"	930	\$45.00	\$33.49	36" x 24"	3250	\$181.57	N/A	
16" x 8"	640	\$35.69	\$25.11	36" x 30"	3900	\$243.63	\$220.40	
16" x 10"	780	\$40.34	\$33.49	36" x 36"	4500	\$315.00	\$277.57	
16" x 12"	930	\$45.00	\$33.49	48" x 12"	2200	\$124.14	N/A	
16" x 16"	1170	\$52.77	\$43.23	48" x 16"	3740	\$159.83	N/A	
18" x 10"	840	\$45.00	\$30.69	48" x 24"	4700	\$243.63	N/A	
18" x 12"	930	\$46.54	\$37.66	48" x 36"	5490	\$355.37	N/A	
18" x 18"	1350	\$66.71	\$22.31	LAY-IN				
20" x 6"	630	\$38.80	\$22.31					
20" x 10"	900	\$46.54	\$33.49	DUCT SIZE	PANEL SIZE	CFM@NC-35	PRICE	OBD
20" x 12"	1100	\$48.11	\$40.46	22" x 10"	24" x 12"	1025	\$48.11	\$37.66
20" x 16"	1370	\$66.71	\$54.40	22" x 22"	24" x 24"	2000	\$97.77	\$85.09

Grilles & Registers

S80H1FF, 50F, ECPC, ECRD

KRUEGER

Titus
Redefine your comfort zone.™

S80H1FF - FILTER FRAME RETURN

- Horizontal fixed deflectors set at 35°
- ¾" spacing on center
- 1" filter frame standard
- Quarter turn fasteners for access to filter
- Steel construction
- Standard finish is British White




NECK SIZE	PANEL SIZE	APPLICATION	PRICE	1" FILTER PRICE
24" x 24"		SURFACE MT	\$175.34	N/A
20" x 20"	24" x 24"	LAY-IN	\$125.69	N/A

FILTER NOT INCLUDED: FILTER PURCHASED SEPERATELY

50F - EGGCRATE CORE


- ½" x ½" x ½" eggcrate core
- Aluminum construction
- Standard finish is British White



SIZE	CFM @ NC-35	PRICE
24" x 12"	1450	\$29.63
24" x 24"	2550	\$59.26

50F - ALUMINUM EGGCRATE RETURN GRILLE


- ½" x ½" x ½" cube core
- 1 ¼" flange
- Surface mount or lay-in T-bar mount
- Aluminum fame
- Standard finish is British White



NECK SIZE	PANEL SIZE	CFM@ NC-35	APPLICATION	PRICE	OBD PRICE
6" x 6"		215	SURFACE MT	\$24.69	\$13.94
8" x 8"		380	SURFACE MT	\$32.09	\$16.74
10" x 10"		570	SURFACE MT	\$37.03	\$20.91
12" x 12"		790	SURFACE MT	\$41.97	\$26.51
14" x 14"		1000	SURFACE MT	\$54.31	\$33.49
16" x 16"		1350	SURFACE MT	\$61.71	\$43.23
18" x 18"		1660	SURFACE MT	\$74.06	\$22.31
24" x 24"		2500	SURFACE MT	\$111.09	\$104.63
22" x 10"	24" x 12"	1200	LAY-IN	\$56.77	\$37.66
22" x 22"	24" x 24"	2400	LAY-IN	\$96.29	\$85.09
22" x 46"	24" x 48"	4590	LAY-IN	\$209.83	N/A

ECPC - PLASTIC EGGCRATE CORE

- ½" x ½" x ¾" eggcrate core
- Plastic construction
- Standard finish is White



SIZE	CFM @ NC-35	PRICE
24" x 12"	1200	\$8.63
24" x 24"	2400	\$17.26
24" x 48"	4400	\$24.34

ECRD - EGGCRATE GRILLE WITH INTEGRAL PLENUM

- ½" x ½" x ½" aluminum core
- Lay-in application
- 2 ½" tall collar with raised bead
- 24 GA steel plenum, standard finish is Black
- Aluminum face, standard finish is White



NECK SIZE	PANEL SIZE	PRICE
6"	24" x 12"	\$108.63
8"	24" x 12"	\$108.63
10"	24" x 12"	\$108.63
10"	24" x 24"	\$162.86
12"	24" x 24"	\$162.86
14"	24" x 24"	\$162.86
16"	24" x 24"	\$162.86
18"	24" x 24"	\$162.86

Grille & Register Accessories

Dampers, Square to Round Adaptor, Ceiling Frame, Paint



PRN100 - STEEL RADIAL FAN DAMPER

- Radial fan damper
- Neck mounted
- Steel construction
- Standard finish is Mill



SIZE	PRICE
6"	\$16.63
8"	\$19.86
10"	\$24.54
12"	\$29.51
14"	\$33.34

OBDFA - STEEL OPERATED DAMPER

- Face operated oppose blade damper for SHR series diffusers
- Neck mounted
- Steel construction
- Standard finish is Mill



SIZE	PRICE
6" x 6"	\$25.11
9" x 9"	\$33.49
12" x 12"	\$41.86
15" x 15"	\$55.80

STR - STEEL SQUARE TO ROUND ADAPTOR

- Square to round for grilles and diffusers
- Square part is 3 1/2" deep
- Steel construction
- Standard finish is Black



SIZE	PRICE
6" x 6" x 6"	\$21.09
8" x 8" x 6"	\$23.46
8" x 8" x 8"	\$23.46
9" x 9" x 6"	\$26.17
9" x 9" x 8"	\$26.17
10" x 10" x 8"	\$26.17
10" x 10" x 10"	\$26.17
12" x 12" x 10"	\$28.71
12" x 12" x 12"	\$28.71
15" x 15" x 12"	\$34.69
15" x 15" x 14"	\$34.69
FIELD-CUT SQUARE TO ROUND	
22" x 10"	\$49.14
22" x 22"	\$66.14

OBD - STEEL DAMPER

- Opposed blade damper for grilles*
- Steel construction
- Standard finish is Mill



*SEE PAGES 22-23 FOR OBD SIZES

PLASTER FRAME - ALUMINUM

- Hard ceiling frame
- Adapts F23 to F22
- Aluminum construction
- Standard finish is British White



SIZE	PRICE
12" x 12"	\$25.91
24" x 12"	\$36.23
24" x 24"	\$50.06

BRITISH WHITE TOUCH-UP PAINT

PRICE
\$38.20

AIR DISTRIBUTION


Variable Air Volume Terminal Boxes

LMHS, Hot Water Coils



LMHS - SINGLE DUCT VAV


- Control Enclosure Included
- Base unit
- 22 GA galvanized steel casing construction
- ½" thick cellular liner meets NFPA 90A, UL 181
- ETL Listed and AHRI certified
- 2-Row Hot Water Coils Unit available and purchased separately (see below)



UNIT SIZE	MAX CFM	DIMENSIONS								PRICE
		L	W	H	A	B	C	D	X	
5"	360	15 ½"	12"	8"	5 ¾"	1 ½"	2 ⅞"	4 ⅞"	7 ¼"	\$263.06
6"	515	15 ½"	12"	8"	3 ¾"	1 ½"	2 ⅞"	5 ⅞"	7 ¼"	\$250.23
8"	920	15 ½"	12"	10"	3 ¾"	1 ½"	1 ⅞"	7 ⅞"	7 ¼"	\$352.89
10"	1430	15 ½"	14"	12 ½"	3 ¾"	2 ½"	N/A	9 ⅞"	5 ¼"	\$378.57
12"	2060	15 ½"	16"	15"	3 ¾"	3 ½"	N/A	11 ⅞"	5 ¼"	\$410.66
14"	2800	15 ½"	20"	17 ½"	3 ¾"	5 ½"	N/A	13 ⅞"	3 ¼"	\$461.97
16"	3660	15 ½"	24"	18"	3 ¾"	7 ½"	N/A	15 ⅞"	3 ¼"	\$500.49

2-ROW HOT WATER COILS

- ½" diameter coil tubing is water leakage tested to 400 PSIG
- wall thickness of 0.016"
- Coils suitable for duct mounting applications
- Purchased separately



UNIT SIZE	CFM	DIMENSIONS						APD (INCHES W.G.)	WPD (INCHES W.G.)	GPM	MBH	LAT(F)	PRICE
		H	W	Lc	A	B	C						
5"	150	8"	12"	5"	4 ¼"	6 ⅞"	1 ⅞"	0.04	0.90	2	12.10	130	\$209.23
6"	250	8"	12"	5"	4 ¼"	6 ⅞"	1 ⅞"	0.10	0.90	2	16.50	116	\$209.23
8"	500	10"	12"	5"	4 ¼"	9"	1 ⅞"	0.20	1.2	2	26.50	104	\$261.51
10"	770	12 ½"	14"	5"	4 ¼"	11 ½"	1 ⅞"	0.22	0.70	2	36.20	98.50	\$313.86
12"	1100	15 "	16"	5"	4 ¼"	13 ¾"	1 ⅞"	0.24	0.90	2	47.90	95	\$397.54
14"	1600	17 ½"	20"	7 ½"	4 ¼"	16 ½"	1 ⅞"	0.23	0.60	2	61.70	90.75	\$575.37
16"	1800	18"	24"	7 ½"	4 ¼"	16 ½"	1 ⅞"	0.21	0.30	2	64.80	88	\$638.14

BASED ON 180°F EWT/55° EAT. COIL CONNECTION IS ⅞" O.D.

Dampers & Accessories

Control, Backdraft, Actuator, Manual Locking Quadrant



CONTROL DAMPER - MODEL CD36

- Automatic air control and manual balancing
- Medium pressure and velocity applications
- Triple-V opposed blades
- Rugged hat channel frame
- ½" drive rod
- 6" control shaft
- Linkage concealed in frame
- Synthetic bearings



SIZE	PRICE
12" x 12"	\$189.26
16" x 16"	\$232.46
18" x 18"	\$299.31
20" x 20"	\$299.31
24" x 12"	\$219.09
24" x 16"	\$257.14
24" x 24"	\$347.66
30" x 30"	\$474.17
36" x 24"	\$393.94
36" x 36"	\$551.31
48" x 24"	\$440.23
48" x 36"	\$619.20
48" x 48"	\$787.89

BACKDRAFT DAMPER - MODEL S3G

- Restrict reverse airflow and permit forward flow of air in the intended direction
- Vertical or horizontal mount
- Exhaust installations
- Low to medium velocity and pressure applications
- Aluminum, gravity operated extruded style blades
- Galvanized frame
- Linkage exposed on blade
- Synthetic bearings



SIZE	PRICE
12" x 12"	\$166.86
16" x 16"	\$204.54
20" x 20"	\$255.69
24" x 12"	\$204.54
24" x 16"	\$232.80
24" x 24"	\$277.23
36" x 24"	\$316.26
36" x 36"	\$426.60
48" x 24"	\$549.06

ACTUATOR

- 2-position spring return
- Fail safe operation



MODEL	VOLTS	ENCLOSURE	USE	PRICE
FSNF24	24V	IP40, NEMA 1	>12 sq. ft.	\$910.74
FSNF120L	120V	IP40, NEMA 1	>12 sq. ft.	\$1038.49

MANUAL LOCKING QUADRANT

- ½" damper quadrant round shaft lock
- 18 GA zinc-plated steel (quadrant)
- 12 GA zinc-plated steel (handle)



ROD SHAFT SIZE	PRICE
½"	\$11.71

AIR DISTRIBUTION

Louvers & Brick Vents

Stationary, EX168, FL168




STATIONARY LOUVER - MODEL GFL800D

- Prevents water penetration in non-wind-driven rain
- 37 1/2° stationary drainable blades
- 4" deep channel frame
- 1/2" expanded and flattened aluminum screen
- Visible mullion
- 6063-T5 extruded aluminum standard Mill finish



SIZE	MAX CFM	FREE AREA	PRICE
12" x 12"	270	0.30"	\$243.20
16" x 16"	600	0.70"	\$296.57
18" x 18"	900	1.00"	\$325.23
20" x 20"	1077	1.20"	\$370.71
24" x 12"	630	0.70"	\$292.63
24" x 16"	964	1.10"	\$325.23
24" x 24"	1800	2.00"	\$408.29
30" x 30"	2970	3.30"	\$675.20
36" x 24"	2700	3.00"	\$494.29
36" x 36"	4420	4.90"	\$810.63
48" x 24"	3700	4.10"	\$593.14
48" x 36"	6050	6.70"	\$987.57
48" x 48"	8390	9.30"	\$1177.40



BRICK VENT— Aluminum EX 168

- New construction installation
- 45° blades
- All extruded sections
- Minimum 0.125" thickness
- 1" deep overlapping blade
- 204-R1 Clear Anodized finish



SIZE	PRICE
16 1/2" x 7 3/4"	\$195.71

BRICK VENT— Aluminum FL 168

- Renovations or existing wall installation
- 45° blades
- All extruded sections
- Minimum 0.125" thickness
- 1" deep overlapping blade
- 204-R1 Clear Anodized finish




SIZE	PRICE
16 1/2" x 7 3/4"	\$195.71



At Ruskin, we take performance seriously – especially when our customers need rapid delivery of high quality dampers and louvers. When we commit to shipping your order on a Next Day, 72 Hour, 5-Day or 10-Day program, it's guaranteed! If it's not shipped on time we'll refund the Ruskin Express premium – automatically.

With six manufacturing centers and over 125 representatives across the country, only Ruskin is positioned to meet the critical delivery requirements of today's fast-paced construction industry. For over 35 years, Ruskin has earned the reputation of performance leader. With **Ruskin Express**, we continue to make it happen for our customers!



Here are some of the high quality products available on Ruskin Express:

Fire Dampers/Sleeves/Angles, Ceiling Fire Dampers and Access Doors

- Static/Dynamic fire dampers
- Curtain and multi-blade fire dampers
- Integral sleeves, welded sleeves or no sleeves
- True rounds or square-to-round transitions
- Stainless steel or galvanized
- Thinline (D)IBT series
- Ruskin exclusive grille mounting style
- Ruskin exclusive PFMA mounting angles
- Round and square ceiling fire dampers
- Warnock Hersey ceiling fire dampers
- Duct mounted access doors, round and rectangular
- Walk-through access doors

**RUSKIN
LABOR SAVERS
SAVE \$\$\$!**

Combination Fire/Smoke and Smoke Dampers

- Factory mounted and tested actuators
- Airfoil high performance dampers
- Triple-V standard performance dampers
- Ruskin exclusive true round dampers
- Ruskin exclusive PFMA mounting angles
- Complete corridor fire/smoke dampers
- Out-of-the-Wall Installations
- Reduced angle(s) Installations

Factory mounted duct smoke detectors available on fire/smoke and smoke dampers.

Commercial and Industrial Control Dampers

- Airfoil high performance dampers
- Triple-V standard performance dampers
- Insulated blade dampers
- Commercial true round dampers
- Manual balancing dampers
- Heavy Duty round butterfly dampers
- Heavy Duty fan outlet dampers
- Factory mounted actuators

**WE LEAD THE
INDUSTRY IN FACTORY
MOUNTED ACTUATORS!**

Commercial and Industrial Backdraft Dampers and Actuators

- Light Gage Galvanized backdraft dampers
- Extruded aluminum backdraft dampers
- Counterbalanced backdraft dampers
- Non-metallic and stainless steel backdraft dampers
- Heavy Duty aluminum and steel backdraft dampers
- factory mounted actuators

**HIGH
PERFORMANCE
PRESSURE CONTROL!**

Louvers, Penthouses and Brick Vents

- Stationary and adjustable blade louvers
- Drainable and non-drainable louvers
- Extruded aluminum and steel construction
- Thinline extruded aluminum louvers
- Boxed or mitered corner penthouses
- Paint, acrodize, anodize and Kynar finishes

**SHAPES
NOW AVAILABLE!**

Additional Ruskin Products

If there is any additional Ruskin product you need quickly, consult your local Ruskin Representative. (See list on back of this brochure.)

HARDWARE & ACCESSORIES

Radiant Tube Heating & Accessories

Radiant Tube Heater, Burner Box, Tube Set, U-Tube, Installation Kit



ERSP - RADIANT TUBE HEATER

- Gas-fired, low-intensity infrared heaters
- Install as "Straight" or "U-tube" configuration
- Horizontal or 45° angle of reflectors
- Components sold separately
- 10-year Manufacturer Warranty*

Note: A Radiant Tube Heater System consists of the following: the ERSP Burner Box, the Heat Exchange Tube Set and the Radiant Heat Installation Kit. EACH SOLD SEPARATELY.



ERSP - RADIANT TUBE HEATER

- 100% shut-off ignition device
- 120V, 60Hz, single phase
- Thermal overload motor protection, balanced air motor, combustion air proving safety pressure switch and viewing window for flame observation
- Pre-wired with a grounded electrical cord and plug



PRODUCT	BTU/HR INPUT	WIDTH x LENGTH	PRICE
ERSP-60N	60,000	9.25" x 17.75"	\$1550.00
ERSP-80N	80,000	9.25" x 17.75"	\$1550.00
ERSP-100N	100,000	9.25" x 17.75"	\$1550.00
ERSP-125N	125,000	9.25" x 17.75"	\$1550.00
ERSP-150N	150,000	9.25" x 17.75"	\$1550.00
ERSP-175N	175,000	9.25" x 17.75"	\$1550.00

RADIANT HEAT INSTALLATION KIT

- 24V thermostat
- 24" stainless steel flexible gas connector
- Gas shutoff valve and chain kits



PRODUCT	BTU/HR INPUT	TUBE LENGTH	PRICE
ERXL-60/80	60,000	20'	\$232.90
ERXL-80	80,000	30'	\$270.00
ERXL-100/125	100,000	30'	\$270.00
ERXL-100/125	125,000	40'	\$309.00
ERXL-125/150	150,000	50'	\$399.87
ERXL-150/175	175,000	60'	\$439.03

HEAT EXCHANGER TUBE SET, U-TUBE, 90 DEGREE ELBOW KIT

- Round radiant heat tube with reflectors, hangers, stainless steel couplers with keys and vent adapter
- Various BTU/HR
- Optional 180° U-Tube connects two tubes together
- Optional 90° Elbow Kit



PRODUCT	BTU/HR INPUT	DIA.	LENGTH	PRICE
ERXL-60/80	60,000	4"	20'	\$1333.70
ERXL-80	80,000	4"	30'	\$1546.30
ERXL-100/125	100,000	4"	30'	\$1546.30
ERXL-100/125	125,000	4"	40'	\$1862.37
ERXL-125/150	150,000	4"	50'	\$2275.00
ERXL-150/175	175,000	4"	60'	\$2634.67
180° U-Tube				\$378.50
90° Elbow Kit				\$288.83


Fans

Evolve Series, L-Series

BROAN

EVOLVE SERIES / PTE511RK

- No Rust-21 gauge steel housing
- Duct Adaptors 6" Metal duct connector with 4" reducer
- Selectable CFM setting of 50-80-110
- 5 year warranty on parts
- Leed and Energy Star compliant
- 120v/60Hz




4" DUCT UNITS											
0.1 Ps - STATIC PRESSURE (IN H ₂ O)				0.25 Ps - STATIC PRESSURE (IN H ₂ O)				0.5 Ps - STATIC PRESSURE (IN H ₂ O)			
AIRFLOW (CFM)	SOUND (SONES)	POWER (WATT)	EFFICIENCY (CFM/WATT)	AIRFLOW (CFM)	SOUND (SONES)	POWER (WATT)	EFFICIENCY (CFM/WATT)	AIRFLOW (CFM)	POWER (WATT)	EFFICIENCY (CFM/WATT)	PRICE
50	<0.3	5.0	10.0	50	1.0	7.9	6.3	40	13.1	3.0	\$338.80
80	0.5	7.4	10.8	80	1.4	10.7	7.4	80	18.4	4.3	\$338.80
110	0.6	10.6	10.3	110	1.5	16.0	6.8	110	24.5	4.4	\$338.80

6" DUCT UNITS											
0.1 Ps - STATIC PRESSURE (IN H ₂ O)				0.25 Ps - STATIC PRESSURE (IN H ₂ O)				0.5 Ps - STATIC PRESSURE (IN H ₂ O)			
AIRFLOW (CFM)	SOUND (SONES)	POWER (WATT)	EFFICIENCY (CFM/WATT)	AIRFLOW (CFM)	SOUND (SONES)	POWER (WATT)	EFFICIENCY (CFM/WATT)	AIRFLOW (CFM)	POWER (WATT)	EFFICIENCY (CFM/WATT)	PRICE
50	<0.3	4.6	10.8	50	0.5	7.3	6.8	40	12.4	3.2	\$338.80
80	<0.3	6.3	12.6	80	0.6	9.4	8.5	80	16.3	4.9	\$338.80
110	0.3	8.0	13.7	110	0.9	12.2	9.0	110	16.3	5.3	\$338.80
110	0.6	7.6	14.4	110	1.4	12.7	8.6	110	22.7	4.8	\$338.80
130	0.5	8.9	14.6	130	1.3	15.1	8.6	130	26.2	4.9	N/A
150	0.6	10.6	14.1	150	1.4	17.4	8.6	150	29.6	5.0	N/A

L-SERIES

- Ceiling mount ventilator with centrifugal blower wheel 120V/1PH
- Available with 6" or 8" round duct connector or 4 1/2" x 18 1/2" duct connector
- Galvanized steel housing with 1/2" acoustic insulation
- Automatic backdraft damper
- Mounting brackets
- 8-way adjustable mounting brackets
- AMCA licensed for air and sound performance
- UL Listed and cUL listed
- SC100W Variable Speed Control sold separately
- 1-year Manufacturer Warranty



MODEL	DIMENSIONS					OUTLET	WEIGHT
	A	B	C	D	E		
L150	12.25"	12.25"	14.00"	14.00"	11.75"	6.0"	23 lbs.
L200/300	12.25"	12.25"	14.00"	14.00"	11.75"	8.0"	25 lbs.
L400/L500/L700	12.25"	21.50"	14.00"	23.25"	11.75"	4.5" x 18.5"	35 lbs.

MODEL	DUCT SIZE	RPM	WATTS	STATIC PRESSURE (INCHES W.G.)											PRICE
				DISCHARGE PATTERN	0	0.100	0.125	0.250	0.375	0.500	0.625	0.750	0.875	1.000	
					CFM	CFM	CFM	CFM	FM	CFM	CFM	CFM	CFM	CFM	
L150E	6"	710	100	HOR	181	161	157	141	132	124	114	94	62	23	\$361.80
				VERT	179	163	160	149	142	133	122	105	73	23	
L200E	8"	740	127	HOR	231	214	210	196	186	177	165	144	113	51	\$407.71
				VERT	224	210	207	197	187	179	167	144	99	41	
L300E	8"	905	212	HOR	312	309	308	303	296	287	273	254	219	125	\$441.66
				VERT	319	314	313	306	299	288	274	251	219	120	
L400	4 1/2" x 18 1/2"	735	146	HOR	480	442	434	388	344	299	299	182	114	33	\$658.89
				VERT	467	428	416	378	335	291	237	170	85	8	
L500	4 1/2" x 18 1/2"	810	232	HOR	538	520	514	491	463	434	389	339	282	186	\$739.29
				VERT	539	517	512	481	451	418	367	319	247	137	
L700	4 1/2" x 18 1/2"	960	313	HOR	722	704	701	667	640	607	571	534	453	333	\$882.83
				VERT	708	691	687	658	628	597	560	515	444	312	

FAN & ROOF EQUIPMENT

Fan Accessories

Speed Controller, Brick Vents, Roof Caps, Wall Caps

VARIABLE SPEED CONTROLLER

MODEL SC100W

- Adjusts blower speed and sound level
- Switch fits in a single gang box
- 120V at 60Hz, max of 3 amps/switch
- Faceplate not included



MODEL	PRICE
SC100W	\$49.00

BRICK VENTS

MODEL EX168/FL168

- EX = New construction
- FX = Existing or renovation
- 16 1/2" x 7 3/4" w/ 45° blades
- Clear Anodized finish



MODEL	PRICE
EX168	\$195.71
FL168	\$195.71

ROOF CAPS

MODEL 634

- Built-in backdraft damper
- Built-in birdscreen
- Steel housing with black finish
- DUCT: 3 1/4" x 10" or up to 8" round
- FANS: PTE511RK / L150E / L200E / L300



MODEL 636

- Built-in backdraft damper
- Built-in birdscreen
- Steel housing with black finish
- DUCT: 3" or 4" round
- FANS: PTE511RK



MODEL	PRICE
634	\$85.29
636	\$48.89

WALL CAPS

MODEL 641

- Built-in backdraft damper
- Built-in birdscreen
- Aluminum natural finish
- DUCT: 6" round
- FANS: PTE511RK / L150E



MODEL 643

- Aluminum natural finish
- DUCT: 8" round
- FANS: L200E / L300E



MODEL 885 AL

- Aluminum natural finish
- DUCT: 3"- 4" round
- Built-in backdraft damper and birdscreen
- FANS: PTE511RK

MODEL	PRICE
641	\$116.89
643	\$190.03
885 AL	\$84.69

Fans

PRD





Power Roof Down blast (PRD) - Standard Construction Features:

- Direct drive, downblast, roof mount exhaust
- Green-Plus ECM motor 115V/1PH/60Hz with built-in speed control
- Open drip proof (ODP) motor
- NEMA1 Disconnect
- Tool free motor compartment access
- Aluminum curb cap
- Aluminum wheel
- Bird screen
- Disconnect plug
- Includes backdraft damper (loose)
- 1-year Manufacturer Warranty



Dimensional Data PRD



MODEL	DIMENSIONS							AVERAGE SHIP WEIGHT	BACKDRAFT DAMPER	12" HIGH ROOF CURB
	X	E. Dia.	D	G	A Sq.	C	RO Sq.			
PRD 070-100 DGP	2.00	25.25	21.50	16.25	17.13	1.81	12.63	37	9.63 x 9.63	15.6 x 15.6
PRD 100-100 DGP	2.00	25.25	21.50	16.25	17.13	1.81	12.63	35	9.63 x 9.63	15.6 x 15.6
PRD 122-100 DGP	2.00	30.25	24.50	19.75	21.00	1.81	16.50	45	13.5 x 13.5	19.5 x 19.5

MOTOR		RPM	STATIC PRESSURE (INCHES W.G.)									FAN PRICE	CURB PRICE	DAMPER PRICE
SIZE	HP		0	0.125	0.25	0.375	0.5	0.625	0.75	0.875	1.00			
			CFM	CFM	CFM	CFM	CFM	CFM	CFM	CFM	CFM			
070	1/6	1725	524	490	448	406	359	315	236	126		\$1547.89	\$157.14	INCLUDED
100	1/6	1725	972	910	854	792	724	644	539	365		\$1702.00	\$157.14	INCLUDED
122	1/3	1725	1786	1718	1639	1570	1491	1375	1332	1241	1127	\$2249.40	\$180.86	INCLUDED

FAN & ROOF EQUIPMENT

Fan and Roof Accessories

Roof Curbs, Equipment Rail, Pipe Portal System, Deckmate

ROOF CURB / DOUBLE CURB

- 18 GA G90 galvanized
- Self-Flashing
- Fully welded construction
- 1 ½" 3 lb. density insulation (R6)
- Untreated wood nailer
- 2" flange out



SIZE (LxW)	HEIGHT	PRICE
12" x 12"	12"	\$125.40
15" x 15"	12"	\$142.86
15.5" x 15.5"	12"	\$157.14
17" x 17"	12"	\$152.54
19" x 19"	12"	\$164.03
19.5" x 19.5"	12"	\$180.86
27" x 27"	12"	\$212.54
DOUBLE CURB		
27 ½" x 12"	12"	\$265.80

COMPLETE PIPE PORTAL SYSTEM


- SINGLE SYSTEM:
Curb, single cover and cap
- DOUBLE SYSTEM:
Double curb, two (2) single covers and two (2) caps



MODEL	SINGLE SYSTEM PRICE	DOUBLE SYSTEM PRICE
N18 Complete	\$273.97	\$562.94
N5 Complete	\$273.97	\$562.94
N21 Complete	\$273.97	\$562.94
N28 Complete	\$273.97	\$562.94
N62 Complete	\$273.97	\$562.94

DECKMATE

- Positive seal for corrugated decks
- Stainless steel clamp included



MODEL	PIPE SIZE	DIMENSIONS		PRICE
		A (HT)	B (L)	
DM 3	¼" to 4"	4"	8"	\$92.94
DM 4	3" to 6"	5"	10"	\$144.63
DM 5	4" to 7"	5"	11"	\$149.80
DM 6	5" to 9"	6"	12"	\$160.11
DM 7	6" to 11"	6"	14"	\$222.14
DM 8	7" to 13"	6"	17"	\$294.43
DM 9	10" to 18"	8"	25"	\$470.03

EQUIPMENT RAIL

- 18 GA G90 galvanized
- Self-flashing
- Fully welded construction
- Untreated wood nailer with metal cover
- 2" flange out



MODEL	LENGTH	HEIGHT	PRICE
ER-2A	2'	12"	\$159.54
ER-2A	3'	12"	\$195.46
ER-2A	4'	12"	\$228.54
ER-2A	5'	12"	\$269.97
ER-2A	8'	12"	\$386.86

CAP & COVER

- EPDM rubber cap with stainless steel cap clamps
- ABS plastic curb cover



MODEL	OPENINGS	SIZE(S)	PRICE
N5 Caps, Cover w/Clamps	5	½" to 2 ⅞"	\$180.00
N18 Cap w/Clamps	4	⅜" to 1"	\$71.43
N21 Cap w/Clamps	4	1" to 2"	\$71.43
N28 Cap w/Clamps	4	(2) ⅜" to 1" (2) 1" to 2"	\$71.43
N62 Cap w/Clamps	1	2" to 6"	\$71.43
Single Cover	1		\$77.14

HVAC Information

Motor Ampere Rating, Suggested Air Changes, Ventilation Rates, Air Conditioning Formulas

APPROXIMATE MOTOR AMPERE RATING: 60 CYCLE A.C.

HP	RPM	SINGLE PHASE		THREE PHASE			
		115v	230v	200v-208v	220v-230v	440v-480v	480v
1/40	1050	1.20					
1/20	1550	1.86					
1/10	1550	3.00					
1/12	1725	3.20	1.60				
	1140	3.20	1.60				
	860	3.20	1.60				
1/8	1725	3.00	1.50				
	1140	3.80	1.90				
	860	4.60	2.30				
1/6	1725	4.40	2.20				
	1140	5.20	2.60				
	860	5.80	2.90				
1/4	1725	4.80	2.40	1.60	1.40	0.70	0.46
	1140	5.30	2.65	1.60	1.40	0.70	0.64
	860	6.50	3.25	2.40	2.00	0.70	0.83
1/3	1725	6.00	3.30	1.80	1.60	0.80	0.73
	1140	6.60	3.30	1.70	1.60	0.80	0.73
	860	7.40	3.70	2.5	2.4	1.2	1.10
1/2	1725	9.00	4.50	2.90	2.20	1.10	.092
	1140	9.60	4.80	3.00	2.60	1.30	1.10
	860	9.80	4.90	2.80	2.60	1.30	1.20
3/4	1725	8.40	5.80	3.60	3.10	1.50	1.38
	1140	11.60	4.20	2.60	3.40	1.70	1.10
	860	14.20	7.10	3.80	3.60	1.80	1.65
1	1725	13.80	6.90	4.20	3.40	1.70	1.56
	1140			4.40	3.80	1.90	1.74
	860			4.90	4.60	2.30	2.11
1 1/2	1725	18.00	9.00	5.60	4.80	2.40	2.20
	1140			5.10	4.80	2.40	2.20
	860			7.20	6.80	3.40	3.12
2	1725	22.00	11.00	7.10	6.20	3.10	2.57
	1140			7.20	6.80	3.40	3.12
	860			8.50	8.00	4.00	3.67
3	1725			9.30	9.20	4.60	3.67
	1140			10.30	8.80	4.40	4.03
	860			10.60	9.40	4.70	4.31
5	1725			16.20	14.20	7.10	5.96
	1140			15.20	14.4	7.20	6.60
	860			17.40	16.4	8.20	7.52
7 1/2	1725			21.20	20.80	10.40	10.80
	1140			22.00	20.00	10.00	9.17

VENTILATION RATE: CFM REQUIRED FOR DESIRED AIR CHANGE

$$\text{CFM} = \frac{\text{Building Volume in Cubic Feet}}{\text{Minute/Air Change}}$$

GPM: WATER QUANTITY REQUIRED FOR HEATING AND COOLING

$$\text{GPM} = \frac{\text{Total load (Btu/hr)}}{500 \times \text{water temperature difference}}$$

LIQUID CHILLER CAPACITY IN TONS

$$\text{Capacity} = \frac{\text{GPM} \times \text{water temperature difference}}{24}$$

METRIC CONVERSION FACTORS

MULTIPLY	BY	TO OBTAIN
Btu/hr	0293	Watts
EDR hot water (150 Btu/hr)	440	Watts
EER	0.293	COP
Ft ³ /min. cfm	0.472	L/s
gallon (U.S 231 in ³)	3.79	L
GPM	0.0631	L/s
grain (1/7000 lb)	0.0648	g
inch	24.5	Mm
in of mercury (60°F)	3.38	kPa
in of water (60°F)	249	Pa
in ²	645	mm ²
in ³ (volume)	16.4	mL
lb (mass)	0.454	Kg
lb (mass)	454	g
psi	6.89	kPa
quart (liquid U.S.)	0.946	L

SUGGESTED AIR CHANGES

TYPE OF BUILDING	MIN/AIR CHANGE	TYPE OF BUILDING	MIN/AIR CHANGE
Assembly Hall	3-10	Laundry Mat	2-5
Auditorium	4-15	Locker Room	2-5
Bakery	1-3	Machine Shop	2-5
Bank	3-10	Mill (Paper)	2-3
Bar	2-4	Mill (Textile)	5-15
Beauty Salon	2-5	Office	2-8
Boiler Room	2-4	Packing House	2-5
Bowling Alley	2-8	Production Room	1-2
Church	4-15	Projection Room	1-3
Corridors	6-20	Recreation Room	2-8
Dry Cleaner	1-5	Residence	2-5
Engine Room	1 - 1 1/2	Restaurant	5-10
Factory (Gen. Vent.)	5-10	Retail Store	3-10
Factory (Fumes)	1-5	Sales Room	3-10
Forge Shop	1-2	Shop (Gen. Vent.)	3-10
Foundry	1-4	Store	5-10
Garage (Repair)	2-10	Theatre	3-8
Generating Room	2-5	Toilet	2-5
Glass Plant	1-2	Transformer Room	1-5
Gymnasium	2-10	Turbine Room (Elec.)	2-6
Heat Treatment	1/2 - 1	Waiting Room	10
Kitchen	1-3	Warehouse	2-10

Btu (BRITISH THERMAL UNIT)

The amount of heat required to raise the temperature of one pound of water 1°F or the amount of heat removed in cooling one pound of water 1°F.

1 ton of refrigeration = 12,000 Btu/hr - 200 Btu/min.

The amount of heat required to melt one ton of ice in 24 hours.

TOTAL AIR CONDITIONING LOAD

Sensible cooling load + Latent cooling load

Total load (Btu/hr) = Air volume (cfm) x 4.5 (h1-h2)

h1 = total heat at entering WB temperature

h2 = total heat at leaving WB temperature

Sensible load (Btu/hr) = Air volume (cfm) x 1.08 x ΔT

ΔT = difference between entering and leaving DB temperature.

MANUFACTURER OFFERINGS

Manufacturer Offerings

Stock and Factory Direct

ABSOLUTAIRE	Direct-Fired Heating and Ventilating Equipment
ACOUSTIFLO	Custom Designed Centrifugal Fans
ACT	Heat Pipes for Thermal Management • HVAC Heat Exchangers
AMPCO	B-Vent • Grease Duct • Positive and Negative Pressure Pipe
BERKO	Electric Heating Products
BROAN	Bath and Ventilation Fans • Range Hoods
COONEY	Replacement HVAC Coils • Tube Bundles • Heat Exchangers
DYNASONICS	Sound Attenuators, Equipment Enclosures
DUCTMATE	Duct Connectors • Insulation • Access Doors • Duct Sealants • Adhesives Reinforcements and Hangers • T.D.C. and T.D.F Components • Vane Systems
ENVIRO-TEC	Air Terminal Boxes • Air Handling Units • Fan Coil Units
FABRICAIR	Fabric Air Duct
FILTRATION GROUP	Pleated, Cartridge and Carbon HEPA Filters • BIBO and Side Access Filter Housings
FLEXMASTER	Flexible Air Duct • Sheet Metal Specialties
GSI	Greenseam Pipe & Fittings • Sheet Metal Specialties
HAAKON	Custom Air Handling Units
HEATSTAR	ERSP Radiant Tube Heaters • High Intensity Infrared Heaters
INNOVENT	Custom AHUs with Energy Recovery • Refrigeration Components • Pool Dehumidification
KOCH FILTERS	Pleated, Cartridge, Carbon, and HEPA Filters, BIBO and Filter Housings
MACURCO	Gas Detection Systems
KINETICS	Sound Attenuators • Equipment Enclosures
KRUEGER & TITUS	Grilles • Registers • Diffusers • Air Terminal Boxes • Underfloor Air Distribution
LTG	Air-Water Systems
MK PLASTICS	Laboratory Exhaust Fans • FRP Fans
PENNBARRY	Fans • Gravity Vents • Industrial Blowers • Penthouses • Corrosion-Resistant Fans • Ventilators
POOLPAK	Swimming Pool Heat Recovery and Humidity Control Units
PRECISION COILS	Water, Steam and DX Coils
QUANTECH	Air-Cooled Chillers
RPS	Roof Curbs • Equipment Rails • Pipe Portals • Pedestals
RUSKIN	Air Control and Backdraft Dampers • Ceiling Radiation Dampers • UL Rated Fire Dampers Fire-Smoke and Smoke Dampers • Louvers and Penthouses • Actuators
SEMCO	Spiral Duct • Equipment Enclosures • Sound Attenuators
SMARDT	Oil Free High Efficiency Chillers
S&P (SOLER PALAU)	Garage Ventilation • Multi-Family Ventilation
STEAMOVAP	Electric and Steam Humidification Systems
STELPRO	Electric Heating Units
UVDI	Modular Ultra-Violet Lamp Systems
VALENT	Packaged Roof Top Units with Energy Recovery



www.deckmanco.com

Lined area for notes.

[illegible]

DECKMAN COMPANY – TERMS & CONDITIONS

(June 2024)

PRICES: All quotations are valid for 30 days from the quotation date. The price is subject to change based on the release date of the equipment. All quotations are F.O.B. Factory/Freight Allowed unless otherwise noted. All quotations are quoted with standard factory lead times unless otherwise noted. All quotations exclude applicable Federal, State, and Local taxes. All quotations include the items that are listed. No other items should be assumed or implied as being provided. Equipment startup services are not included unless otherwise noted.

TERMS: Payment terms are Net 30 Days with approved credit. The following payment methods are acceptable: Checks, ACH Payments, Credit Cards. A 3% convenience charge will be applied. Joint check agreements may be required. Payment terms are subject to change based on the manufacturer's terms. Delinquent accounts are subject to a 1.5% finance charge per month. Should Deckman Company initiate actions to enforce payment, the Buyer agrees to pay all reasonable attorney fees and costs that may be incurred.

WARRANTIES: For all equipment, the standard manufacturer's warranty is applicable. A copy of the warranty is provided upon request. The manufacturer must approve all warranty claims before acting to remedy the outstanding claim. Deckman Company assumes no obligations for such claims, for consequential damages, for any labor, or any expenses incurred for defective material or equipment.

GENERAL: A written purchase order or signed quotation is required for all orders. If applicable, approved submittal drawings are required before equipment is released. The Buyer assumes all responsibilities for equipment that is released before submittal approval. Tax-exempt certificates are required for exempt projects with the purchase order or signed quotation. Material may not be returned for credit unless approved by the manufacturer. Restocking charges may be applied. All orders that are canceled after the submittal is prepared and/or equipment release are subject to a cancellation charge. Any visible product or packaging damage shall be noted as a formal exception on the bill of lading and acknowledged with the driver's signature at the time of delivery. Take photographs for documentation purposes. Deckman Company must be notified within three (3) days of the formal exception. The Buyer is responsible for filing the freight claim. Concealed internal damage or missing equipment must be reported within five (5) business days from the date of delivery. Failure to follow these guidelines will result in the full acceptance of the equipment received and void the Buyer's options for a freight claim or other changes. General specifications were used to select the quoted equipment unless otherwise stated within the quote. If additional details or specifications become available, Deckman Company may need to make modifications in the equipment selection which has the potential to impact the equipment pricing and delivery. Deckman Company's Terms & Conditions supersede all Terms & Conditions from the Buyer's purchase order.

DIRECTIONS TO THE PITTSBURGH OFFICE AND WAREHOUSE

Deckman Company
1200 Cuddy Lane
Cuddy, PA 15031

Warehouse/Office Hours:
Monday - Friday
7:30 am - 4:00 pm

(412) 257-3333

- Travel Interstate 79 to Bridgeville Exit #54
- Turn left at traffic light onto PA-50 West
- Travel 0.4 miles
- Turn right onto Miller's Run Road
- Travel Miller's Run Road for 1.5 miles
- Turn right onto Morgan Hill Road
- Turn left after the bridge onto Cuddy Lane
- Deckman Company is located on the right





1200 Cuddy Lane | Cuddy, PA 15031
(412) 257-3333 | www.deckmanco.com